

CHANGE COMMUNICATION

TRACKING #	PCN-000003	TYPE OF	End of life	DATE OF	8/24/2020	
		CHANGE	Notification	PCN		
DESCRIPTION OF	CBT-120 Blue and Green LEDs discontinued and replaced by PT-120 Blue and Green which					
CHANGE	are of same physical package dimensions and same or better flux performance					

DETAILS OF CHANGE

Dear Customer:

You are receiving this letter due to an upcoming change affecting the CBT-120-G and CBT-120-B series that our records indicate you have purchased in the past 24 months.

The CBT-120 parts listed in *Affected Product List* will be discontinued and replaced by equivalent PT-120 parts listed in section of *Affected Product List* and *Replacement Part Numbers* table in next page of this document.

The PT-120 has been a product series of Luminus specialty portfolio for many years and relates to the CBT-120 as follows

- same physical dimensions as CBT-120 [drop-in compatible]
- same or better flux performance as CBT-120.
- wavelength range is a subset to that of CBT-120 (backwards compatible).
- Lower thermal resistance than the CBT-120 by usage of improve die attach material and process, benefiting long term reliability.

Both products differ by production test condition:

- The PT-120 products are tested at pulse mode 25% duty cycle for Blue and 50% for Green at 30A, 40C heatsink temperature.
- The CBT-120-G/B products are tested at 18A DC, 40C heatsink condition

Flux Bin of CBT-120 and PT-120

	CBT-120		Corresponded PT-120 flux bins			
Color	Flux bin	Min. Flux (lm)	Flux bin	Min, Flux (lm) ¹	Min. Flux (lm) ²	
	CJ	1500				
Green	СК	2000	5K	4400	2800	
	CM	2300				
	DJ	250	5F	750	500	
	DK	350	5F	750	500	
Blue	DM	450	5G	815	540	
	DN	575	5H	880	590	
	DP	700	5L	1070	720	

Notes 1: PT-120 datasheet condition flux specification

2: PT-120 flux reference at test condition of CBT-120 datasheet

REASON FOR CHANGE



CHANGE COMMUNICATION

AFFECTED PRODUCT LIST		REPLACEMENT PART NUMBERS		
CBT-120-G-C11-JJ200		PT-120-G-L11-MPK		
CBT-120-G-C11-JJ201		PT-120-G-L11-MPK		
CBT-120-G-C11-JK200		PT-120-G-L11-MPK		
CBT-120-G-C11-JK201		PT-120-G-L11-MPL		
CBT-120-G-C11-JM200		PT-120-G-L11-MPM		
CBT-120-G-C11-JM201		PT-120-G-L11-MPN		
CBT-120-B-C11-KJ300		PT-120-B-L11-EPF		
CBT-120-B-C11-KJ301		PT-120-B-L11-EPF101		
CBT-120-B-C11-KK300		PT-120-B-L11-EPF		
CBT-120-B-C11-KK301		PT-120-B-L11-EPF101		
CBT-120-B-C11-KM300		PT-120-B-L11-EPF		
CBT-120-B-C11-KM301		PT-120-B-L11-EPF101		
CBT-120-B-C11-KN300		PT-120-B-L11-EPF		
CBT-120-B-C11-KN301		PT-120-B-L11-EPF101		
ANTICIPATED IMPACT ON	FORM FIT, FUNCTION, QUALIT	Y OR RELIAB	ILITY	
No impact on form fit, func	tion, quality or reliability other	than a reduc	ction in thermal resistance	
	ve, and section of Affected Prod d ordering part numbers, respe		Replacement Part Numbers for	
SCHEDULE OF Qualification		<u>, </u>		
Actions	Status		Result	
N/A	N/A		N/A	
·	·	NI/A	.,,,,	
DATE OF AVAILABILITY OF	QUALIFICATION DATA	N/A		



CHANGE COMMUNICATION

	Contact your Luminus Sales representative or Distributor for PT-120-B or PT-120-G samples
METHOD OF IDENTIFYING CHANGED PRODUCT	N/A. PT-120 products have their own part numbers as documented in their product datasheet
PLACE LAST PURCHASE ORDER BY	Due to limitations in raw materials availability, Luminus may only be able to support Limited last- order quantities of the CBT-120 product. PT-120 products should seamlessly replace their CBT equivalent and Luminus is committed to work closely with affected customers to facilitate and accelerate the transition.
DATE OF IMPLEMENTATION	PCN Effective date: 8/24/2020 With the limitations and constraints stated above related to last order size, Luminus will accept last orders until 10/31/2020 PCN expiration date: 10/31/2020