




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER


(1)











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY					
		DRAWN: C.B	DATE: JAN. 01/2019				
		CHECKED:	DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4			
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-2W2-224-4T4		ISSUE			
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-2W2-	-224-4T4	1			



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female

627-2W2-224-4T4

		33.30 4 4 4 4 4 4 4 4 4 4 4 4 4		63.50 31.75 31.75 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ase as
		11W1 Male/Female	27W2 Male/Femal	e	
23.03 14.40 14	8 Female 53.50 53.50 72.83 72.97	33.30 10.05 9.70 0.31 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4		31.75 31.75 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 +	and a second
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / Ø 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	Ą	47.00 23.63 13.85 0.31 0.70 0.51 0.70 0.51 0.70 0.5		47.06 23.63 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	æ
			SW REFERENCE NO.: 627 C	COMBO ASSEMBLY	
	COMBINAT	TION D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-2W2	-224-4T4	ISSUE
	YOUR CONNECTION TO QUALITY & SERV	ICE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 627-2W2	-224-4T4	1

WITHOUT WRITTEN PERMISSION.

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 15.52





13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female




17W5 Male





47W1 Male





17W5 Female





2.77

COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY						
		DRAWN: C.B	/N: C.B			DATE: JAN. 01/2019		
		CHECKED:	DATE:					
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET	4	OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER:	627-2W2-	224-4T4			ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER:	627-2W2-	224-4T4			1	

