
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING



.X ±0.25 .XX ±0.13

.XXX ±0.05

SNAL CONTACT CURRENT RATING: 5A PER CONTACT GNAL CONTACT RESISTANCE: 10mΩ MAX. SULATOR RESISTANCE: 5000MΩ min. ELECTRIC /ITHSTANDING VOLTAGE: 1000V AC rms




		SW REFERENCE NO.: 630 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/201	. 01/2019			
		CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-25W	3240-1T4	ISSUE		
		PART NUMBER: 630-25W	3240-1T4	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

 SIG
 SIG
INS
DIE
WI





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female

17W2 Male/Female

24W7 Male/Female



ISSUE NUMBER

 $\overline{(1)}$

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




POB EDGE


PCB EDGE

27W2 Male/Female

21W4 Male/Female




21W1 Male/Female





	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY							
			DRAWN:	C.B		DATE:	JAN. ()1/20	19	
				CHECKED:		DATE:				
		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	N.T.S		SHEET	3	OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING	NUMBER:	630-25W3	3240-1T4			ISSUE	
YOUR			PART NUM	IBER:	630-25W3	3240-1T4			1	

5W5 Female




8W8 Female





CURRENT RATING / ØA 10A / 2.2 20A / 3.3

> 30A / 3.7 40A / 4.2



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25
















13W3 Male






25W3 Male




13W3 Female

.XX ±0.13 .XXX ±0.05



31.75

36W4 Female



13W6 Male





0.50

2.77

22,15

20.78

20.70

13.72

PCB EDGE

13W6 Female

24.77

PCB EDGE

43W2 Female





17W5 Male






47W1 Female







		SW REFERENCE NO.: 630 COMBO ASSEMBLY					
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
			CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4		
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-25W	3240-1T4	ISSUE		
COMPLIANT 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-25W	3240-1T4	1		