

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Product / Process Change Notification (PCN)

- Major change
 Minor change

PCN #: PCN_FeSTAR-GAP_20181102

Affected Series: 74271622; 74271622S

PCN Date: August 02, 2018

Effective Date: November 02, 2018

Change Category:

- Equipment / Location
 General Data
 Material
 Process
 Product Design
 Shipping / Packaging
 Supplier

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-Mail: pcn.eisos@we-online.com

Data Sheet Change:

- Yes No

Attachment:

- Yes No

DESCRIPTION AND PURPOSE OF CHANGE:

In order to improve the transportation and handling safety, Würth Elektronik will change the packaging and standard packaging quantity by implementing a new tray design.

All products with date code 2018-10-02 or later, will be affected by this packaging change.

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



DETAIL OF CHANGE:

The tray changes in the design and in the size from a cardboard to a paper mould tray. Due to this change, the packaging size and standard packaging quantity will change as detailed in the table below. The carton box material will remain double wall corrugated cardboard.

		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	130	140
Standard Packaging Quantity	(SPQ)	pcs	26	20
Number of trays		pcs	5	7
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 15	315 x 215 x 2
Weight of a CPQ		g	10800	11800
Weight of a SPQ		g	2140	1650

New Packaging:



RELIABILITY / QUALIFICATION SUMMARY:

Drop test according to DIN EN 22248 "Packaging; complete, filled transport packages; vertical impact test by dropping (ISO 2248:1985)" has been done.