


NOTES:

1. MATERIAL AND FINISH:
 - A. RJ45 PLUG : CLEAR POLYCARBONATE (PC).
 - B. BOOT : CLEAR POLYCARBONATE (PC),
 - C. CONTACTS: COPPER ALLOY,
FINISH: SELECTIVE GOLD PLATING.
 - D. CABLE JACKET: LS0H OR PVC
2. PACKAGING:

PATCH CORD IS INDIVIDUALLY COILED, SECURED WITH A TWIST TIE AND IS PACKED IN A SEALED BAG.
THE QUANTITY OF PATCH CORDS IN THE CARTON BOX WILL DEPEND UPON THE LENGTH OF THE CORDS.
3. IMPERIAL LENGTH PATCH CORDS MPN NUMBERS SHOULD BE GENERATED FROM THE LENGTH OF 2FT TO 65FT, 0.5FT INCREMENT FOR ANY OF THESE LENGTHS (FOR EXAMPLE: 2.5FT,3.5FT ETC) ARE NOT AVAILABLE TO ORDER.
4. REFER SHEET 2 AND 3 FOR STANDARD PATCH CORD LENGTHS IN METER AND COLORS REFER SHEET 4 AND 5 FOR THE IMPERIAL LENGTH PART NUMBER MATRIX.
5. PATCH CORD ARE SUITABLE FOR EIA 568A OR 568B APPLICATIONS.
6. CONTACT MOLEX FOR LENGTHS OR COLORS NOT SPECIFIED ON SHEET 2 AND 3.



WIRE COLOR	
PIN NO.	WIRING SEQUENCE:
1	WHITE/ORANGE
2	ORANGE
3	WHITE/GREEN
4	BLUE
5	WHITE/BLUE
6	GREEN
7	WHITE/BROWN
8	BROWN

FUNCTIONAL SYMBOLS $\frac{F}{A} = 0$ $\frac{F}{C} = 0$ $\frac{F}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DIMENSION UNITS: mm SCALE: NTS	CURRENT REV DESC: EC NO: 646210 DRWN: SRAVAL01 2020/09/28 CHK'D: RCG 2020/10/28 APPR: RCG 2020/10/28			
	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0.5 0 PLACES ±	INITIAL REVISION: DRWN: PS03 2010/11/19 APPR: RGOPALAKRISH 2010/12/28	PATCH CORD CAT6 U/UTP			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING: A1-SIZE SERIES: 18199	DOCUMENT NUMBER: SD-18199-001 DOC TYPE: PSD DOC PART: 001 REVISION: C	PRODUCT CUSTOMER DRAWING	
			MATERIAL NUMBER: SEE CHART CUSTOMER: GENERAL MARKET SHEET NUMBER: 1 OF 5			


SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGTH IN METER 'L'
1	PCD-02000-OC	181990496	PCORD CAT6 U/UTP LS0H RED 0.5M	0.5
2	PCD-02000-OE	181990497	PCORD CAT6 U/UTP LS0H GRAY 0.5M	
3	PCD-02000-OH	181990498	PCORD CAT6 U/UTP LS0H BLUE 0.5M	
4	PCD-02000-OJ	181990499	PCORD CAT6 U/UTP LS0H GREEN 0.5M	
5	PCD-02000-OK	181990500	PCORD CAT6 U/UTP LS0H YELLOW 0.5M	
6	PCD-02000-BK	181990504	PCORD CAT6 U/UTP LS0H BLACK 0.5M	1.0
7	PCD-02001-OC	181990505	PCORD CAT6 U/UTP LS0H RED 1.0M	
8	PCD-02001-OE	181990506	PCORD CAT6 U/UTP LS0H GRAY 1.0M	
9	PCD-02001-OH	181990507	PCORD CAT6 U/UTP LS0H BLUE 1.0M	
10	PCD-02001-OJ	181990508	PCORD CAT6 U/UTP LS0H GREEN 1.0M	
11	PCD-02001-OK	181990509	PCORD CAT6 U/UTP LS0H YELLOW 1.0M	1.5
12	PCD-02001-BK	181990513	PCORD CAT6 U/UTP LS0H BLACK 1.0M	
13	PCD-02002-OC	181990514	PCORD CAT6 U/UTP LS0H RED 1.5M	
14	PCD-02002-OE	181990515	PCORD CAT6 U/UTP LS0H GRAY 1.5M	
15	PCD-02002-OH	181990516	PCORD CAT6 U/UTP LS0H BLUE 1.5M	
16	PCD-02002-OJ	181990517	PCORD CAT6 U/UTP LS0H GREEN 1.5M	2.0
17	PCD-02002-OK	181990518	PCORD CAT6 U/UTP LS0H YELLOW 1.5M	
18	PCD-02002-BK	181990522	PCORD CAT6 U/UTP LS0H BLACK 1.5M	
19	PCD-02003-OC	181990523	PCORD CAT6 U/UTP LS0H RED 2.0M	
20	PCD-02003-OE	181990524	PCORD CAT6 U/UTP LS0H GRAY 2.0M	
21	PCD-02003-OH	181990525	PCORD CAT6 U/UTP LS0H BLUE 2.0M	3.0
22	PCD-02003-OJ	181990526	PCORD CAT6 U/UTP LS0H GREEN 2.0M	
23	PCD-02003-OK	181990527	PCORD CAT6 U/UTP LS0H YELLOW 2.0M	
24	PCD-02003-BK	181990531	PCORD CAT6 U/UTP LS0H BLACK 2.0M	
25	PCD-02005-OC	181990541	PCORD CAT6 U/UTP LS0H RED 3.0M	
26	PCD-02005-OE	181990542	PCORD CAT6 U/UTP LS0H GRAY 3.0M	5.0
27	PCD-02005-OH	181990543	PCORD CAT6 U/UTP LS0H BLUE 3.0M	
28	PCD-02005-OJ	181990544	PCORD CAT6 U/UTP LS0H GREEN 3.0M	
29	PCD-02005-OK	181990545	PCORD CAT6 U/UTP LS0H YELLOW 3.0M	
30	PCD-02005-BK	181990549	PCORD CAT6 U/UTP LS0H BLACK 3.0M	
31	PCD-02008-OC	181990577	PCORD CAT6 U/UTP LS0H RED 5.0M	7.0
32	PCD-02008-OE	181990578	PCORD CAT6 U/UTP LS0H GRAY 5.0M	
33	PCD-02008-OH	181990579	PCORD CAT6 U/UTP LS0H BLUE 5.0M	
34	PCD-02008-OJ	181990580	PCORD CAT6 U/UTP LS0H GREEN 5.0M	
35	PCD-02008-OK	181990581	PCORD CAT6 U/UTP LS0H YELLOW 5.0M	
36	PCD-02008-BK	181990585	PCORD CAT6 U/UTP LS0H BLACK 5.0M	10.0
37	PCD-02013-OC	181990613	PCORD CAT6 U/UTP LS0H RED 7.0M	
38	PCD-02013-OE	181990514	PCORD CAT6 U/UTP LS0H GRAY 7.0M	
39	PCD-02013-OH	181990515	PCORD CAT6 U/UTP LS0H BLUE 7.0M	
40	PCD-02013-OJ	181990516	PCORD CAT6 U/UTP LS0H GREEN 7.0M	
41	PCD-02013-OK	181990517	PCORD CAT6 U/UTP LS0H YELLOW 7.0M	10.0
42	PCD-02013-BK	181990521	PCORD CAT6 U/UTP LS0H BLACK 7.0M	
43	PCD-02019-OC	181990667	PCORD CAT6 U/UTP LS0H RED 10.0M	
44	PCD-02019-OE	181990668	PCORD CAT6 U/UTP LS0H GRAY 10.0M	
45	PCD-02019-OH	181990669	PCORD CAT6 U/UTP LS0H BLUE 10.0M	
46	PCD-02019-OJ	181990670	PCORD CAT6 U/UTP LS0H GREEN 10.0M	10.0
47	PCD-02019-OK	181990671	PCORD CAT6 U/UTP LS0H YELLOW 10.0M	
48	PCD-02019-BK	181990675	PCORD CAT6 U/UTP LS0H BLACK 10.0M	

SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGTH IN METER 'L'
49	PCD-02040-OC	181990856	PCORD CAT6 U/UTP PVC RED 0.5M	0.5
50	PCD-02040-OE	181990857	PCORD CAT6 U/UTP PVC GRAY 0.5M	
51	PCD-02040-OH	181990858	PCORD CAT6 U/UTP PVC BLUE 0.5M	
52	PCD-02040-OJ	181990859	PCORD CAT6 U/UTP PVC GREEN 0.5M	
53	PCD-02040-OK	181990860	PCORD CAT6 U/UTP PVC YELLOW 0.5M	
54	PCD-02040-BK	181990864	PCORD CAT6 U/UTP PVC BLACK 0.5M	1.0
55	PCD-02041-OC	181990865	PCORD CAT6 U/UTP PVC RED 1.0M	
56	PCD-02041-OE	181990866	PCORD CAT6 U/UTP PVC GRAY 1.0M	
57	PCD-02041-OH	181990867	PCORD CAT6 U/UTP PVC BLUE 1.0M	
58	PCD-02041-OJ	181990868	PCORD CAT6 U/UTP PVC GREEN 1.0M	
59	PCD-02041-OK	181990869	PCORD CAT6 U/UTP PVC YELLOW 1.0M	1.5
60	PCD-02041-BK	181990873	PCORD CAT6 U/UTP PVC BLACK 1.0M	
61	PCD-02047-OC	181990919	PCORD CAT6 U/UTP PVC RED 1.5M	
62	PCD-02047-OE	181990920	PCORD CAT6 U/UTP PVC GRAY 1.5M	
63	PCD-02047-OH	181990921	PCORD CAT6 U/UTP PVC BLUE 1.5M	
64	PCD-02047-OJ	181990922	PCORD CAT6 U/UTP PVC GREEN 1.5M	2.0
65	PCD-02047-OK	181990923	PCORD CAT6 U/UTP PVC YELLOW 1.5M	
66	PCD-02047-BK	181990927	PCORD CAT6 U/UTP PVC BLACK 1.5M	
67	PCD-02042-OC	181990874	PCORD CAT6 U/UTP PVC RED 2.0M	
68	PCD-02042-OE	181990875	PCORD CAT6 U/UTP PVC GRAY 2.0M	
69	PCD-02042-OH	181990876	PCORD CAT6 U/UTP PVC BLUE 2.0M	3.0
70	PCD-02042-OJ	181990877	PCORD CAT6 U/UTP PVC GREEN 2.0M	
71	PCD-02042-OK	181990878	PCORD CAT6 U/UTP PVC YELLOW 2.0M	
72	PCD-02042-BK	181990882	PCORD CAT6 U/UTP PVC BLACK 2.0M	
73	PCD-02043-OC	181990883	PCORD CAT6 U/UTP PVC RED 3.0M	
74	PCD-02043-OE	181990884	PCORD CAT6 U/UTP PVC GRAY 3.0M	5.0
75	PCD-02043-OH	181990885	PCORD CAT6 U/UTP PVC BLUE 3.0M	
76	PCD-02043-OJ	181990886	PCORD CAT6 U/UTP PVC GREEN 3.0M	
77	PCD-02043-OK	181990887	PCORD CAT6 U/UTP PVC YELLOW 3.0M	
78	PCD-02043-BK	181990891	PCORD CAT6 U/UTP PVC BLACK 3.0M	
79	PCD-02044-OC	181990892	PCORD CAT6 U/UTP PVC RED 5.0M	7.0
80	PCD-02044-OE	181990893	PCORD CAT6 U/UTP PVC GRAY 5.0M	
81	PCD-02044-OH	181990894	PCORD CAT6 U/UTP PVC BLUE 5.0M	
82	PCD-02044-OJ	181990895	PCORD CAT6 U/UTP PVC GREEN 5.0M	
83	PCD-02044-OK	181990896	PCORD CAT6 U/UTP PVC YELLOW 5.0M	
84	PCD-02044-BK	181990900	PCORD CAT6 U/UTP PVC BLACK 5.0M	10.0
85	PCD-02045-OC	181990901	PCORD CAT6 U/UTP PVC RED 7.0M	
86	PCD-02045-OE	181990902	PCORD CAT6 U/UTP PVC GRAY 7.0M	
87	PCD-02045-OH	181990903	PCORD CAT6 U/UTP PVC BLUE 7.0M	
88	PCD-02045-OJ	181990904	PCORD CAT6 U/UTP PVC GREEN 7.0M	
89	PCD-02045-OK	181990905	PCORD CAT6 U/UTP PVC YELLOW 7.0M	10.0
90	PCD-02045-BK	181990909	PCORD CAT6 U/UTP PVC BLACK 7.0M	
91	PCD-02046-OC	181990910	PCORD CAT6 U/UTP PVC RED 10.0M	
92	PCD-02046-OE	181990911	PCORD CAT6 U/UTP PVC GRAY 10.0M	
93	PCD-02046-OH	181990912	PCORD CAT6 U/UTP PVC BLUE 10.0M	
94	PCD-02046-OJ	181990913	PCORD CAT6 U/UTP PVC GREEN 10.0M	10.0
95	PCD-02046-OK	181990914	PCORD CAT6 U/UTP PVC YELLOW 10.0M	
96	PCD-02046-BK	181990918	PCORD CAT6 U/UTP PVC BLACK 10.0M	

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:	molex
	DIMENSION UNITS	SCALE		
$\frac{F}{A} = 0$	mm	NTS	EC NO: 646210	PATCH CORD CAT6 U/UTP
$\frac{F}{C} = 0$	ANGULAR TOL ± °		DRWN: SRAVAL01	
$\frac{F}{P} = 0$	4 PLACES ±		2020/09/28	
DIVISIONAL SYMBOLS	3 PLACES ±		2020/10/28	PRODUCT CUSTOMER DRAWING
	2 PLACES ±		2020/10/28	
1 PLACE ± 0.5		INITIAL REVISION:	2010/11/19	SD-18199-001
0 PLACES ±		DRWN: PS03	2010/12/28	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	APPR: RGOPALAKRISH	DOCUMENT NUMBER
		DRAWING	SERIES	DOC TYPE DOC PART REVISION
		A1-SIZE	18199	PSD 001 C
SEE CHART		CUSTOMER	SHEET NUMBER	
GENERAL MARKET		2 OF 5		

SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGHT IN METER 'L'
1	PCD-02000-OC-I	181991220	PCORD CAT6 U/UTP LS0H RED 0.5M-INDIA	0.5
2	PCD-02000-OE-I	181991221	PCORD CAT6 U/UTP LS0H GRAY 0.5M-INDIA	
3	PCD-02000-OH-I	181991222	PCORD CAT6 U/UTP LS0H BLUE 0.5M-INDIA	
4	PCD-02000-OJ-I	181991223	PCORD CAT6 U/UTP LS0H GREEN 0.5M-INDIA	
5	PCD-02000-OK-I	181991224	PCORD CAT6 U/UTP LS0H YELLOW 0.5M-INDIA	
6	PCD-02000-BK-I	181991228	PCORD CAT6 U/UTP LS0H BLACK 0.5M-INDIA	
7	PCD-02001-OC-I	181991229	PCORD CAT6 U/UTP LS0H RED 1.0M-INDIA	1.0
8	PCD-02001-OE-I	181991230	PCORD CAT6 U/UTP LS0H GRAY 1.0M-INDIA	
9	PCD-02001-OH-I	181991231	PCORD CAT6 U/UTP LS0H BLUE 1.0M-INDIA	
10	PCD-02001-OJ-I	181991232	PCORD CAT6 U/UTP LS0H GREEN 1.0M-INDIA	
11	PCD-02001-OK-I	181991233	PCORD CAT6 U/UTP LS0H YELLOW 1.0M-INDIA	
12	PCD-02001-BK-I	181991237	PCORD CAT6 U/UTP LS0H BLACK 1.0M-INDIA	
13	PCD-02002-OC-I	181991238	PCORD CAT6 U/UTP LS0H RED 1.5M-INDIA	1.5
14	PCD-02002-OE-I	181991239	PCORD CAT6 U/UTP LS0H GRAY 1.5M-INDIA	
15	PCD-02002-OH-I	181991240	PCORD CAT6 U/UTP LS0H BLUE 1.5M-INDIA	
16	PCD-02002-OJ-I	181991241	PCORD CAT6 U/UTP LS0H GREEN 1.5M-INDIA	
17	PCD-02002-OK-I	181991242	PCORD CAT6 U/UTP LS0H YELLOW 1.5M-INDIA	
18	PCD-02002-BK-I	181991246	PCORD CAT6 U/UTP LS0H BLACK 1.5M-INDIA	
19	PCD-02003-OC-I	181991247	PCORD CAT6 U/UTP LS0H RED 2.0M-INDIA	2.0
20	PCD-02003-OE-I	181991248	PCORD CAT6 U/UTP LS0H GRAY 2.0M-INDIA	
21	PCD-02003-OH-I	181991249	PCORD CAT6 U/UTP LS0H BLUE 2.0M-INDIA	
22	PCD-02003-OJ-I	181991250	PCORD CAT6 U/UTP LS0H GREEN 2.0M-INDIA	
23	PCD-02003-OK-I	181991251	PCORD CAT6 U/UTP LS0H YELLOW 2.0M-INDIA	
24	PCD-02003-BK-I	181991255	PCORD CAT6 U/UTP LS0H BLACK 2.0M-INDIA	
25	PCD-02005-OC-I	181991265	PCORD CAT6 U/UTP LS0H RED 3.0M-INDIA	3.0
26	PCD-02005-OE-I	181991266	PCORD CAT6 U/UTP LS0H GRAY 3.0M-INDIA	
27	PCD-02005-OH-I	181991267	PCORD CAT6 U/UTP LS0H BLUE 3.0M-INDIA	
28	PCD-02005-OJ-I	181991268	PCORD CAT6 U/UTP LS0H GREEN 3.0M-INDIA	
29	PCD-02005-OK-I	181991269	PCORD CAT6 U/UTP LS0H YELLOW 3.0M-INDIA	
30	PCD-02005-BK-I	181991273	PCORD CAT6 U/UTP LS0H BLACK 3.0M-INDIA	
31	PCD-02009-OC-I	181991301	PCORD CAT6 U/UTP LS0H RED 5.0M-INDIA	5.0
32	PCD-02009-OE-I	181991302	PCORD CAT6 U/UTP LS0H GRAY 5.0M-INDIA	
33	PCD-02009-OH-I	181991303	PCORD CAT6 U/UTP LS0H BLUE 5.0M-INDIA	
34	PCD-02009-OJ-I	181991304	PCORD CAT6 U/UTP LS0H GREEN 5.0M-INDIA	
35	PCD-02009-OK-I	181991305	PCORD CAT6 U/UTP LS0H YELLOW 5.0M-INDIA	
36	PCD-02009-BK-I	181991309	PCORD CAT6 U/UTP LS0H BLACK 5.0M-INDIA	
37	PCD-02013-OC-I	181991337	PCORD CAT6 U/UTP LS0H RED 7.0M-INDIA	7.0
38	PCD-02013-OE-I	181991338	PCORD CAT6 U/UTP LS0H GRAY 7.0M-INDIA	
39	PCD-02013-OH-I	181991339	PCORD CAT6 U/UTP LS0H BLUE 7.0M-INDIA	
40	PCD-02013-OJ-I	181991340	PCORD CAT6 U/UTP LS0H GREEN 7.0M-INDIA	
41	PCD-02013-OK-I	181991341	PCORD CAT6 U/UTP LS0H YELLOW 7.0M-INDIA	
42	PCD-02013-BK-I	181991345	PCORD CAT6 U/UTP LS0H BLACK 7.0M-INDIA	
43	PCD-02019-OC-I	181991391	PCORD CAT6 U/UTP LS0H RED 10.0M-INDIA	10.0
44	PCD-02019-OE-I	181991392	PCORD CAT6 U/UTP LS0H GRAY 10.0M-INDIA	
45	PCD-02019-OH-I	181991393	PCORD CAT6 U/UTP LS0H BLUE 10.0M-INDIA	
46	PCD-02019-OJ-I	181991394	PCORD CAT6 U/UTP LS0H GREEN 10.0M-INDIA	
47	PCD-02019-OK-I	181991395	PCORD CAT6 U/UTP LS0H YELLOW 10.0M-INDIA	
48	PCD-02019-BK-I	181991399	PCORD CAT6 U/UTP LS0H BLACK 10.0M-INDIA	

SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGHT IN METER 'L'
49	PCD-02040-OC-I	181991580	PCORD CAT6 U/UTP PVC RED 0.5M-INDIA	0.5
50	PCD-02040-OE-I	181991581	PCORD CAT6 U/UTP PVC GRAY 0.5M-INDIA	
51	PCD-02040-OH-I	181991582	PCORD CAT6 U/UTP PVC BLUE 0.5M-INDIA	
52	PCD-02040-OJ-I	181991583	PCORD CAT6 U/UTP PVC GREEN 0.5M-INDIA	
53	PCD-02040-OK-I	181991584	PCORD CAT6 U/UTP PVC YELLOW 0.5M-INDIA	
54	PCD-02040-BK-I	181991588	PCORD CAT6 U/UTP PVC BLACK 0.5M-INDIA	
55	PCD-02041-OC-I	181991589	PCORD CAT6 U/UTP PVC RED 1.0M-INDIA	1.0
56	PCD-02041-OE-I	181991590	PCORD CAT6 U/UTP PVC GRAY 1.0M-INDIA	
57	PCD-02041-OH-I	181991591	PCORD CAT6 U/UTP PVC BLUE 1.0M-INDIA	
58	PCD-02041-OJ-I	181991592	PCORD CAT6 U/UTP PVC GREEN 1.0M-INDIA	
59	PCD-02041-OK-I	181991593	PCORD CAT6 U/UTP PVC YELLOW 1.0M-INDIA	
60	PCD-02041-BK-I	181991597	PCORD CAT6 U/UTP PVC BLACK 1.0M-INDIA	
61	PCD-02042-OC-I	181991598	PCORD CAT6 U/UTP PVC RED 1.5M-INDIA	1.5
62	PCD-02042-OE-I	181991599	PCORD CAT6 U/UTP PVC GRAY 1.5M-INDIA	
63	PCD-02042-OH-I	181991600	PCORD CAT6 U/UTP PVC BLUE 1.5M-INDIA	
64	PCD-02042-OJ-I	181991601	PCORD CAT6 U/UTP PVC GREEN 1.5M-INDIA	
65	PCD-02042-OK-I	181991602	PCORD CAT6 U/UTP PVC YELLOW 1.5M-INDIA	
66	PCD-02042-BK-I	181991606	PCORD CAT6 U/UTP PVC BLACK 1.5M-INDIA	
67	PCD-02043-OC-I	181991607	PCORD CAT6 U/UTP PVC RED 2.0M-INDIA	2.0
68	PCD-02043-OE-I	181991608	PCORD CAT6 U/UTP PVC GRAY 2.0M-INDIA	
69	PCD-02043-OH-I	181991609	PCORD CAT6 U/UTP PVC BLUE 2.0M-INDIA	
70	PCD-02043-OJ-I	181991610	PCORD CAT6 U/UTP PVC GREEN 2.0M-INDIA	
71	PCD-02043-OK-I	181991611	PCORD CAT6 U/UTP PVC YELLOW 2.0M-INDIA	
72	PCD-02043-BK-I	181991615	PCORD CAT6 U/UTP PVC BLACK 2.0M-INDIA	
73	PCD-02045-OC-I	181991625	PCORD CAT6 U/UTP PVC RED 3.0M-INDIA	3.0
74	PCD-02045-OE-I	181991626	PCORD CAT6 U/UTP PVC GRAY 3.0M-INDIA	
75	PCD-02045-OH-I	181991627	PCORD CAT6 U/UTP PVC BLUE 3.0M-INDIA	
76	PCD-02045-OJ-I	181991628	PCORD CAT6 U/UTP PVC GREEN 3.0M-INDIA	
77	PCD-02045-OK-I	181991629	PCORD CAT6 U/UTP PVC YELLOW 3.0M-INDIA	
78	PCD-02045-BK-I	181991633	PCORD CAT6 U/UTP PVC BLACK 3.0M-INDIA	
79	PCD-02049-OC-I	181991661	PCORD CAT6 U/UTP PVC RED 5.0M-INDIA	5.0
80	PCD-02049-OE-I	181991662	PCORD CAT6 U/UTP PVC GRAY 5.0M-INDIA	
81	PCD-02049-OH-I	181991663	PCORD CAT6 U/UTP PVC BLUE 5.0M-INDIA	
82	PCD-02049-OJ-I	181991664	PCORD CAT6 U/UTP PVC GREEN 5.0M-INDIA	
83	PCD-02049-OK-I	181991665	PCORD CAT6 U/UTP PVC YELLOW 5.0M-INDIA	
84	PCD-02049-BK-I	181991669	PCORD CAT6 U/UTP PVC BLACK 5.0M-INDIA	
85	PCD-02053-OC-I	181991697	PCORD CAT6 U/UTP PVC RED 7.0M-INDIA	7.0
86	PCD-02053-OE-I	181991698	PCORD CAT6 U/UTP PVC GRAY 7.0M-INDIA	
87	PCD-02053-OH-I	181991699	PCORD CAT6 U/UTP PVC BLUE 7.0M-INDIA	
88	PCD-02053-OJ-I	181991700	PCORD CAT6 U/UTP PVC GREEN 7.0M-INDIA	
89	PCD-02053-OK-I	181991701	PCORD CAT6 U/UTP PVC YELLOW 7.0M-INDIA	
90	PCD-02053-BK-I	181991705	PCORD CAT6 U/UTP PVC BLACK 7.0M-INDIA	
91	PCD-02059-OC-I	181991751	PCORD CAT6 U/UTP PVC RED 10.0M-INDIA	10.0
92	PCD-02059-OE-I	181991752	PCORD CAT6 U/UTP PVC GRAY 10.0M-INDIA	
93	PCD-02059-OH-I	181991753	PCORD CAT6 U/UTP PVC BLUE 10.0M-INDIA	
94	PCD-02059-OJ-I	181991754	PCORD CAT6 U/UTP PVC GREEN 10.0M-INDIA	
95	PCD-02059-OK-I	181991755	PCORD CAT6 U/UTP PVC YELLOW 10.0M-INDIA	
96	PCD-02059-BK-I	181991759	PCORD CAT6 U/UTP PVC BLACK 10.0M-INDIA	

FUNCTIONAL SYMBOLS FA = 0 FE = 0 FP = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		 PATCH CORD CAT6 U/UTP
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
DIVISIONAL SYMBOLS	mm	NTS	ANGULAR TOL ± °		PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER: SD-18199-001 DOC TYPE: PSD DOC PART: 001 REVISION: C
	4 PLACES ±		EC NO: 646210		
	3 PLACES ±		DRWN: SRAVAL01 2020/09/28		
	2 PLACES ±		CHK'D: RCG 2020/10/28		
	1 PLACE ± 0.5		APPR: RCG 2020/10/28		
	0 PLACES ±		INITIAL REVISION:		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: PS03 2010/11/19		
	THIRD ANGLE PROJECTION		APPR: RGOPALAKRISH 2010/12/28		
	DRAWING		SERIES		
	A1-SIZE		18199		
	SEE CHART		CUSTOMER		
	GENERAL MARKET		SHEET NUMBER		
	3 OF 5				

NOTE:
 IMPERIAL LENGTH PART NUMBER MATRIX CAN BE GENERATED BASED
 ON THE BELOW PROVIDED PARTMATRIX

MPN NO.	SAP NO.	DESCRIPTION	REMARKS
PCD-213XX-XX	18199XXXX	PCORD CAT 6 UTP PVC XXX "XX"FT	REFER NOTE 3

PCD-213XX-XX

CAT 6 UTP FAMILY (PVC)

02FT TO 65FT(LENGTH)

COLOR CODE
 0W-WHITE
 BK-BLACK
 0H-BLUE
 0E-GRAY
 0J-GREEN
 0K-YELLOW
 0N-ORANGE
 0P-PURPLE
 0C-RED
 PK-PINK


18199XXXX

RUNNING SAP SERIES

PCORD CAT 6 UTP PVC XXX "XX"FT

COLOR OF THE CABLE

02FT-65FT (LENGTH IN FT)

FUNCTIONAL SYMBOLS $\frac{F}{A} = 0$ $\frac{F}{C} = 0$ $\frac{F}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		 PATCH CORD CAT6 U/UTP
	DIMENSION UNITS	SCALE	EC NO: 646210		
	mm	NTS	DRWN: SRAVAL01 2020/09/28		
	GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: RCG 2020/10/28		
ANGULAR TOL ± °		APPR: RCG 2020/10/28		PRODUCT CUSTOMER DRAWING	
4 PLACES ±		INITIAL REVISION:		DOCUMENT NUMBER	DOC TYPE
3 PLACES ±		DRWN: PS03 2010/11/19		SD-18199-001	PSD
2 PLACES ±		APPR: RGOPALAKRISH 2010/12/28		001	C
1 PLACE ± 0.5		THIRD ANGLE PROJECTION		MATERIAL NUMBER	CUSTOMER
0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART	GENERAL MARKET
		A1-SIZE 18199		SHEET NUMBER	
				4 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2020/10/28 12:40:48
-----------------	----	--------------	---------------------

NOTE:
IMPERIAL LENGTH PART NUMBER MATRIX CAN BE GENERATED BASED
ON THE BELOW PROVIDED PARTMATRIX

MPN NO.	SAP NO.	DESCRIPTION	REMARKS
PCD-214XX-XX-I	18199XXXX	PCORD CAT 6 UTP LS0H XXX "XX"FT	REFER NOTE 3

PCD-214XX-XX-I

18199XXXX

PCORD CAT 6 UTP LS0H XXX "XX"FT

CAT 6 UTP FAMILY (LS0H)

FOR INDIA ONLY

02FT TO 65FT(LENGTH)


COLOR CODE

0W-WHITE
BK-BLACK
0H-BLUE
0E-GRAY
0J-GREEN
0K-YELLOW
0N-ORANGE
0P-PURPLE
0C-RED
PK-PINK

RUNNING SAP SERIES

COLOR OF THE CABLE

02FT-65FT (LENGTH IN FT)

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:						
	DIMENSION UNITS	SCALE							
$\frac{F}{A} = 0$	mm	NTS	EC NO: 646210 DRWN: SRAVAL01 2020/09/28 CHKD: RCG 2020/10/28 APPR: RCG 2020/10/28		PATCH CORD CAT6 U/UTP				
$\frac{F}{C} = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)								
$\frac{F}{P} = 0$	ANGULAR TOL ± °				PRODUCT CUSTOMER DRAWING				
DIVISIONAL SYMBOLS	4 PLACES	±	INITIAL REVISION: DRWN: PS03 2010/11/19 APPR: RGOPALAKRISH 2010/12/28					DOCUMENT NUMBER	DOC TYPE
	3 PLACES	±			SD-18199-001	PSD	001	C	
	2 PLACES	±			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
	1 PLACE	± 0.5					A1-SIZE	18199	GENERAL MARKET
0 PLACES	±	THIRD ANGLE PROJECTION							

DOCUMENT STATUS	P1	RELEASE DATE	2020/10/28 12:40:48
-----------------	----	--------------	---------------------