

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [2166580200](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: RAST 5 Power Semi-Automatic IDC Machine

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207122
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	RAST 5
Tool Type	Electric Press
UPC	193264766383
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207122 Series](#)

Application Tooling | **FAQ**
Description | **Product #**

5.00mm Pitch Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Reference K02	908580004
5.00mm Pitch Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Reference K09	908580007
5.00mm Pitch Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Reference K04	908580020
5.00mm Pitch Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Reference K16	908580021
5.00mm Pitch Appli-Mate RAST 5	908580029

Header, Vertical, 2 Circuits, Reference K13	
5.00mm Pitch	<u>908580054</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Reference K15	
5.00mm Pitch	<u>908580057</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Reference K12	
5.00mm Pitch	<u>908580480</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver Plating, Reference K40	
5.00mm Pitch	<u>908580484</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver Plating, Reference K38	
5.00mm Pitch	<u>908580497</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver Plating, Reference K09	
5.00mm Pitch	<u>908581265</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Reference K07	
5.00mm Pitch	<u>908581267</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Reference K37	
5.00mm Pitch	<u>908581270</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Reference K44	
5.00mm Pitch	<u>908581280</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Reference K65	
5.00mm Pitch	<u>908581999</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Silver Plating, Reference K01	
5.00mm Pitch	<u>908582000</u>
Appli-Mate RAST 5 Header, Vertical, 5 Circuits, Reference K01	
5.00mm Pitch	<u>908582012</u>
Appli-Mate RAST 5 Header, Vertical, 5	

Circuits, Reference
K44

5.00mm Pitch [908582025](#)

Appli-Mate RAST 5
Header, Vertical, 5
Circuits, Reference
K95

5.00mm Pitch [908582753](#)

Appli-Mate RAST 5
Header, Vertical, 6
Circuits, Reference
K01

5.00mm Pitch [908583499](#)

Appli-Mate RAST
5 Header, Vertical,
6 Circuits, Silver
Plating, Reference
K01

5.00mm Pitch [908583504](#)

Appli-Mate RAST 5
Header, Vertical, 7
Circuits, Reference
K32

5.00mm Pitch [908586002](#)

Appli-Mate RAST 5
Header, Vertical, 10
Circuits, Reference
K30

5.00mm Pitch [908792000](#)

Appli-Mate RAST
5 Header, Right-
Angle, Male, Natural,
Unblocked Position
Keys: 1a, 4b,
Unblocked Coding
Keys: D40, Latch
Position 1/2 3/4, 4
Circuits

5.00mm Appli- [917780002](#)

Mate RAST 5 IDT
Housing, Indirect,
Female, 10 Amp, 2
Circuit, Position Keys
1b, 2a, Code Keys
01c, d20, Reference
K01

5.00mm Appli- [917780030](#)

Mate RAST 5 IDT
Housing, Indirect,
Female, 10 Amp, 2
Circuit, Fully Coded

5.00mm Appli- [917780116](#)

Mate RAST 5 IDT
Housing, Indirect,
Female, 10 Amp, 3
Circuit, Position Key
3b, Code Keys 1c,
d30, Reference K02

5.00mm Appli- [917780145](#)

Mate RAST 5 IDT
Housing, Indirect,
Female, 10 Amp, 3
Circuit, Position Key
3b, Code Keys 01c,
d20, Reference K06

5.00mm Appli- 917780162
Mate RAST 5 IDT
Housing, Indirect,
Female, 10 Amp, 3
Circuit, Position Keys
2a, 2b, No Coding
Keys, Reference
K162

5.00mm Appli- 917780202
Mate RAST 5 IDT
Housing, Indirect,
Female, 10 Amp, 5
Circuit, Position Keys
1b, Code Keys 03c,
d40, Reference K01

5.00mm Pitch Appli- 917790002
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 2
Circuit, All Position
Keys, All Code Keys,
Reference K01

5.00mm Pitch Appli- 917790003
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 2
Circuit, Position Key
1a, 2b, Code Key
d20, Reference K05

5.00mm Pitch Appli- 917790030
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp,
2 Circuit, Position
Key 1a, 2a, 2b, Code
Keys 1c, d20

5.00mm Pitch Appli- 917790101
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 3
Circuit, Fully Coded

5.00mm Pitch Appli- 917790103
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 3
Circuit, Position Key
1b, Code Keys 1c,
d20

5.00mm Pitch Appli- 917790119
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 3
Circuit, Position Key
2a, Code Keys 1c,
d30

5.00mm Pitch Appli- 917790201
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 4
Circuit, Fully Coded

5.00mm Pitch Appli- 917790205
Mate RAST 5 IDT
Housing, Indirect,
Female, 16 Amp, 4
Circuit, Position Keys

2a, 4b, 3b, Code Key
d20

5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 10 Amp, Indirect, 2 Circuits, Fully Coded	<u>918860001</u>
5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 10 Amp, Indirect, 2 Circuits, Position Keys 1a, 2b, Coding Key 1c	<u>918860004</u>
5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 6 Amp, Indirect, 3 Circuits, Fully Coded	<u>918860101</u>
5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 10 Amp, Indirect, 3 Circuits, Fully Coded	<u>918860110</u>
5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 6 Amp, Indirect, 4 Circuits, Fully Coded	<u>918860201</u>
5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 6 Amp, Indirect, 7 Circuits, Fully Coded	<u>918860501</u>
5.00mm Pitch Appli-Mate RAST 5 Female IDT Connector, 10 Amp, Indirect, 7 Circuits, Fully Coded	<u>918860512</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919990018</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919990029</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990454</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990468</u>

Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990469</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990470</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990478</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919990482</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990485</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990487</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990495</u>
Appli-Mate RAST 5 Header, Vertical, 2 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919990499</u>
Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919990529</u>
Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919990531</u>
Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919990542</u>
Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919991232</u>
Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919991234</u>

Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991238</u>
Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919991249</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991252</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991254</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991260</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991283</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991284</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991287</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991292</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991974</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919991976</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919991982</u>
Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919991999</u>

Appli-Mate RAST 5 Header, Vertical, 5 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919992031</u>
Appli-Mate RAST 5 Header, Vertical, 5 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919992041</u>
Appli-Mate RAST 5 Header, Vertical, 5 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919992724</u>
Appli-Mate RAST 5 Header, Vertical, 6 Circuits, Silver (Ag) Plating, Glow-Wire Capable	<u>919993474</u>
Appli-Mate RAST 5 Header, Vertical, 7 Circuits, Tin (Sn) Plating, Glow-Wire Capable	<u>919993512</u>
Appli-Mate RAST 5 Header, Right-Angle, 2 Circuits, Tin (Sn), Glow-Wire Capable	<u>930030018</u>
Appli-Mate RAST 5 Header, Right-Angle, 2 Circuits, Tin (Sn), Glow-Wire Capable	<u>930030026</u>
Appli-Mate RAST 5 Header, Right-Angle, 2 Circuits, Tin (Sn), Glow-Wire Capable	<u>930030064</u>
Appli-Mate RAST 5 Header, Right- Angle, 2 Circuits, Silver (Ag), Glow- Wire Capable	<u>930030470</u>
Appli-Mate RAST 5 Header, Right-Angle, 2 Circuits, Tin (Sn), Glow-Wire Capable	<u>930030499</u>
Appli-Mate RAST 5 Header, Right- Angle, 3 Circuits, Silver (Ag), Glow- Wire Capable	<u>930031240</u>
Appli-Mate RAST 5 Header, Right- Angle, 6 Circuits, Silver (Ag), Glow- Wire Capable	<u>930033483</u>
Appli-Mate RAST 5 Header, Right-Angle, 7 Circuits, Tin (Sn), Glow-Wire Capable	<u>930033521</u>
Appli-Mate RAST 5 Header, Right- Angle, 7 Circuits, Silver (Ag), Glow- Wire Capable	<u>930034232</u>

5.00mm Pitch, Rast 945504004
5, PA Polyamide
(Nylon) 6/6, UL
94V-2, 4 Circuits,
Natural, Glow-Wire
Capable

5.00mm Pitch, Rast 945504102
5, PA Polyamide
(Nylon) 6/6, UL
94V-2, 2 Circuits,
Natural, Glow-Wire
Capable

5.00mm Pitch, Rast 945504104
5, PA Polyamide
(Nylon) 6/6, UL
94V-2, 2 Circuits,
Natural, Glow-Wire
Capable

5.00mm Pitch, Rast 945504202
5, PA Polyamide
(Nylon) 6/6, UL
94V-2, 2 Circuits,
Natural, Glow-Wire
Capable

5.00mm Pitch, Rast 945604010
5, PA Polyamide
(Nylon) 6/6, UL
94V-2, 10 Circuits,
Natural, Glow-Wire
Capable

This document was generated on 10/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION