


Not for use in European Markets **Power Extension Cord, Locking C13 to C14 PDU Style - 10A, 250V, 18 AWG, 10 ft. (3.05 m)**

MODEL NUMBER: P004-L10







Computer power extension cord connects 2 devices with C13/C14 power connectors or extends your current power connection by 10 ft.

Features

C14-to-C13 Power Cable Connects Computers, Printers, Servers and Other EquipmentThis IEC-320-C14 to IEC-320-C13 cable is an ideal replacement for a missing or worn-out computer power extension cord. Designed for data center and server room applications that do not require a higher-gauge cable, this UL-listed C14 male to C13 female cord can be used to power a computer, printer or monitor; attach a server or drive to a UPS system or PDU; or extend a current connection up to 10-ft. (3.05 m).

Locking Connector Helps Prevent Accidental Disconnection and Expensive DowntimeHaving a cable come loose accidentally can mean the loss of power and costly downtime. The P004-L10's locking C13 connector helps you avoid such danger, protecting critical equipment by maintaining a secure link without failure. The locking cable is also invaluable when moving equipment in a rack or removing equipment from tight areas, ensuring the power cord always stays connected.

Designed to Keep Your Equipment Connected a Long Time without StressThe SJT cable jacket is accentuated with integral strain relief, which gives the cable extra flexibility, reduces stress, and helps the cable and connectors move freely without cracking.

Lifetime WarrantyThe P004-L10 is backed by a lifetime warranty, ensuring reliability and performance.

Highlights C13-to-C14 PDU-style extension cord is ideal

replacement for worn-out or missing cableRecommended for connecting power to computers, servers

and other peripherals

- Adds 10-ft. (3.05 m) to your current power connection to provide more flexibility in placing devices
- Integral strain relief helps cable and connectors move freely without stress or cracking
- Locking C13 connector maintains secure link to avoid loss of power and costly downtime

Applications

- Connect devices like computers, servers and monitors to a PDU up to 10-ft. (3.05 m) away in your data center
- Extend a current power connection up to 10-ft. (3.05 m) to more easily place a device or reach a power source in a rack
- Provide a high-quality replacement for a worn-out or missing power cord

Package Includes

 P004-L10 C14 Male to C13 Female Power Cable, 10-ft. (3.05 m)

Specifications

OVERVIEW	
UPC Code	037332218124
Device Compatibility	Computer; Monitor/HDTV; Printer; Server; UPS; PDU
Country/Region	Global



INPUT		
Maximum Input Amps	10	
Voltage Compatibility (VAC)	100-250	
PHYSICAL		
Plug Color	Black	
Cable Jacket Color	Black	
Cable Jacket Material	PVC	
Cable Jacket Rating	VW-1	
Power Cord Jacket Type	SJT	
Cable Outer Diameter (OD)	7.7mm	
Number of Conductors	3	
Wire Gauge (AWG)	18	
Wire Gauge (OD - mm ²)	0.82	
Cable Length (ft.)	10	
Cable Length (m)	3.05	
Shipping Dimensions (hwd / cm)	32.51 x 22.50 x 1.27	
Shipping Dimensions (hwd / in.)	12.80 x 8.86 x 0.50	
Shipping Weight (kg)	0.32	
Shipping Weight (lbs.)	0.70	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 221 F (-20 to 105 C)	
Storage Temperature Range	-4 to 221 F (-20 to 105 C)	
Operating Humidity Range	0-65% RH	
Storage Humidity Range	0-65% RH	
CONNECTIONS		
Side A - Connector 1	IEC-320-C14	
Side B - Connector 1	IEC-320-C13 - LOCKING	
FEATURES & SPECIFICATIONS		
High Voltage	Yes	
Locking Plug	Yes	
Angled Plug	No	



STANDARDS & COMPLIANCE		
Certifications	UL/Cul, RoHS, REACH	
Approvals	UL/CSA	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies