


Specification Sheet

Part Number: T50I1M4



Cable Tie, 12" Long, UL Rated, 50lb Tensile Strength, PA66, Brown, 1000/pkg

Article Number	111-05223
Type	T50I
Color	Brown (BN)
Features & Benefits	<ul style="list-style-type: none">•Engineered and manufactured for maximum performance and quality.•Made from 100% high-quality plastic to ensure efficient recycling.•Inside serration for a strong grip onto bundles.•Easy application either manually or with a tensioning tool.•Bent tail allows for simpler insertion.
Quantity Per	bag

Product Description

HellermannTyton standard cable ties feature inside serrations providing a positive hold onto wire and cable bundles. The head design guarantees high tensile strength, as well as a low insertion force. The bent tail design allows quick and simple installations by hand. For high volume applications, tensioning tools are available to ensure consistent and safe installation.

Short Description	Cable Tie, 12" Long, UL Rated, 50lb Tensile Strength, PA66, Brown, 1000/pkg
Global Part Name	T50I-PA66-BN
Minimum Tensile Strength (Imperial)	50.0
Minimum Tensile Strength (Metric)	225.0
Length L (Imperial)	12.0
Length L (Metric)	305.0
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.18
Width W (Metric)	4.6
Bundle Diameter Min (Imperial)	0.06
Bundle Diameter Min (Metric)	1.5
Bundle Diameter Max (Imperial)	3.2
Bundle Diameter Max (Metric)	81.3
Thickness T (Metric)	1.2

Material	Polyamide 6.6 (PA66)
-----------------	----------------------

Material Shortcut	PA66
--------------------------	------

US MIL SPEC	SAE-AS33671
--------------------	-------------

MS3367-7-1	Flammability
------------	---------------------

UL 94 V2	Halogen free
----------	---------------------

Yes	Operating Temperature (Metric)
-----	---------------------------------------

-40°F to +185°F (-40°C to +85°C)	ROHS Complaint
----------------------------------	-----------------------

Yes	Certification/Specification WEB
-----	--

CAGE Code 53421 UL-ZODZ.E64139	UL Recognized (US)
--------------------------------	---------------------------

Yes	UL Listed (US and Canada)
-----	----------------------------------

Yes	UL Recognized (US and Canada)
-----	--------------------------------------

Yes	UL Listed (US)
-----	-----------------------

Yes	
-----	--

Package Quantity(Imperial)	1000
-----------------------------------	------

Package Quantity (Metric)	1000
----------------------------------	------

Customs Number

3926909988

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)