


LOOSE PIECE		SPECIFICATIONS				
MATERIAL NUMBER	ENGINEERING NUMBER	STUD SIZE	"S" ±.005 [0.13]	"W" ±.010 [0.25]	"C" MIN.	"L" MAX.
191960075	C-541-06	6	.146 [3.71]	.375 [9.53]	.301 [7.65]	1.232 [31.29]
191960077	C-541-08	8	.173 [4.39]			
191960068	C-541-10	10	.198 [5.03]			



NOTES:

- MATERIAL:
 - (A). TERMINAL: COPPER (STOCK THICKNESS .040±.001 [1.02])
 - PLATING: ELECTRO-TIN (.0003 MIN.)
 - (B). TIN-PLATED BRASS FUNNEL FERRULE
 - (C). INSULATION: NYLON (COLOR CODED YELLOW)
- MWID: MAXIMUM WIRE INSULATION DIAMETER
- WIRE SIZE: 12 -10 AWG
 - 4.0 -6.0 MM²
- "UL" LISTING #E32244
"CSA" LISTING #18689
- ALL DIMENSIONS IN INCHES/[MM].
- PARTS ARE ROHS COMPLIANT.
- DIMS. SHOWN ARE FOR REFERENCE ONLY.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
	DIMENSION UNITS	SCALE		CURRENT REV DESC: MIGRATION TO ECTR/NX	
∇ = 0	INCH/MM	NTS		molex SPADE TONGUE TERMINAL AVIKRIMP - 500 SERIES PRODUCT CUSTOMER DRAWING	
∇ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				
∇ = 0		MM	INCH		
∇ = 0	4 PLACES	± ---	± ---		
∇ = 0	3 PLACES	± ---	± .005	EC NO: 621658	DRWN: ABENJAMINLW 2019/07/29
∇ = 0	2 PLACES	± 0.13	± .01	CHK'D: GROJAS01 2019/07/31	APPR: JMACNEIL 2019/08/05
∇ = 0	1 PLACE	± 0.25	± ---	INITIAL REVISION:	
∇ = 0	0 PLACES	± ---	± ---	DRWN: JJ 1984/11/15	SERIES 19196
∇ = 0	ANGULAR TOL	± 0.5 °		APPR: JMACNEIL 2019/08/05	THIRD ANGLE PROJECTION
∇ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION		DRAWING	SERIES
∇ = 0		C-SIZE		19196	MATERIAL NUMBER
				SEE TABLE	CUSTOMER
				GENERAL MARKET	SHEET NUMBER
				1 OF 1	