



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


| | | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|--------------------------------------|---|--------------------------------------|------------|-------|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/201 | 19 | | |
| | | | CHECKED: | DATE: | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-21W4 | 4622-3T1 | ISSUE | |
| | | | PART NUMBER: 628-21W4 | 4622-3T1 | 1 | |






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

5W5 Male


5W5 Female

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)


21W4 Male/Female



27W2 Male/Female



21W1 Male/Female



| | | 40A / 4.2 |
|---------------------------------|-----------|---------------------------------|
| | | |
| | | |
| | | |
| THIS SERIES FULLY CONFORMS TO | | THIS SERIES FULLY CONFORMS TO |
| THE EUROPEAN UNION DIRECTIVES | H\$H5 | THE EUROPEAN UNION DIRECTIVES |
| 2011/65/EU FOR RoHS COMPLIANCY. | COMPLIANT | 2011/65/EU FOR RoHS COMPLIANCY. |


47.08

23.63


CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7

23.53


8W8 Female



YOUR CONNECTION TO QUALITY



17W2 Male/Female




| | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | | | |
|---|--|-----------------|----------|--------------------|----|-------|
| COMBINATION D-SUB | | DRAWN: C.B | | DATE: JAN. 01/2019 | | |
| | | CHECKED: | | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | | SHEET 3 | OF | 4 |
| TORONTO, ONTARIO CANADA O QUALITY & SERVICE | | DRAWING NUMBER: | 628-21W4 | 4622-3T1 | | ISSUE |
| | | PART NUMBER: | 628-21W4 | 4622-3T1 | | 1 |


11W1 Male/Female



63.50











THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male











36W4 Female




13W3 Male




36W4 Male







13W6 Male



43W2 Male





.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female




17W5 Male


COMPLIANT











| | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|--------------------------------------|--|---------------------------------|--------------------|-------|
| | COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/2019 | |
| | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS | SCALE: N.T.S | SHEET 4 OF | 4 |
| THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY. | TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 628-21W4622-3T1 | | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-21W | 4622-3T1 | 1 |



