Mounting Option In-Line Card Guides		Contact Detail PC Tail .046x.013(1.17x0.33) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO N		ISSUE NUMBER ORIGINAL (1
0.500[12.70]	0.156[3.96]	6.404 [162.66] ———————————————————————————————————	-		
				SEC	TION A-A
	A				
Î					
0.473[12.01]	AFTTTTTT	7.146[181.51]	**************************************	.095 [2.41] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37 o .070 [1.78] Thick P.C. Board	
0.4	•	307 / 357 Card Edge		ACAD REFERENCE NO.	307 ENG MASTER
		Part Number: 357-086		DRAWN: J.LEE	DATE: AUG. 11/09

See Accompanying Pages for:
• Contact Bend Details

- **Mounting Options**



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER		
DRAWN: J.LEE	DATE: AUG. 11/09		
CHECKED:	DATE:		
SCALE: NTS	SHEET 1 OF 3		
DRAWING NUMBER	ISSUE		
307 Assembly	1		



