



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.

△ MATERIAL:  
 HOUSING & COVER - THERMOPLASTIC, BLACK.  
 TERMINALS - PHOS BRONZE PLATED WITH EITHER .000030 MINIMUM GOLD PLATE OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, .000030 MIN TOTAL ON MATING SURFACE. GOLD FLASH PLATED ON TERMINATING SIDE. .000050 MINIMUM NICKEL UNDERPLATE OVER ENTIRE TERMINAL.

- △ COVER SHOWN LOOSE BUT SHIPPED ASSEMBLED.
4. WIRE RANGE: 26 AWG SOLID THRU 30 AWG SOLID AND 28 AWG STRANDED RIBBON CABLE.

△ ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.

△ FLAT CABLE SHALL BE FURNISHED BY CUSTOMER.

△ MATING FACE CONSISTS OF TWO ROWS OF TERMINALS ON .085 CENTERS, TERMINATING SIDE CONSISTS OF TERMINALS ON .100 CENTERS FOR AN EFFECTIVE .050 TERMINATION.

8. FOR MORE INFORMATION REFER TO AMP PRODUCT SPECIFICATION 108-8078 & APPLICATION SPEC 114-6030.

REVISONS		DATE	BY
GP	00		
H		17 APR 83	BM1 VM

THIS DRAWING IS A CONTROLLED DOCUMENT		FORM 15 JAN 67	
DIMENSIONS IN INCHES		FORM 15 JAN 67	
DIMENSIONS IN MILLIMETERS		FORM 15 JAN 67	
DIMENSIONS IN METERS		FORM 15 JAN 67	
DRAWING NUMBER		PART NUMBER	
CUSTOMER DRAWING		CUSTOMER DRAWING	

AS SHOWN 553598-1  
 DESCRIPTION PART NUMBER

Yeo Electronics Corporation  
 1705-4999  
 HENNINGTON, VA 23060-9999  
 PLUG ASSEMBLY, 24 POSITION  
 SCREEN CLAMP, LOW PROFILE,  
 PLUG LATCH

SCALE 2:1 SHEET 1 OF 1 REV

553598