



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.






(1)





## NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF 4 SCALE: (IN C.A.D. 1:1) SHEET 1 EDAC INC ARE THE PROPERTY OF EDAC INC. AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-5W5-622-5T1 ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-5W5-622-5T1 WITHOUT WRITTEN PERMISSION.





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



ale



ale




		11W1	Male/Female	27W2 Male/Fer	male
8\	W8 Female		33.30	1	2.70
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			16.62 +++ +++ 2.77
		17W2	Male/Female	21W1 Male/Fer	male
CURRENT RATING / 🤉	ØA				
10A / 2.2			1- 47.05 et	<u>+</u>	
20A / 3.3 30A / 3.7 40A / 4.2					16.52 15.24 + + + + 2.7
				SW REFERENCE NO.: 62	28 C(
		COMBINATION	D-SUB	DRAWN: C.B	
				CHECKED:	
FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	
AN UNION DIRECTIVES		TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER: 628 5	M5

5W5 Male


5W5 Female


COMPLIANT



47.05

8W8 Male






THIS SERIES FULLY THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/20	)19	
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4	
EDAC INC TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-5W5	-622-5T1	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W5	-622-5T1	1	

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



23.53 9.70 14.51 7.79




36W4 Female



13W3 Male



36W4 Male








13W6 Male



43W2 Male






.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female


47W1 Female




17W5 Male

















THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



17W5 Female

