Mounting Option #4-40 Unified Threaded Inserts **Contact Detail**

PC Tail .046x.014(1.17x0.36) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

ORIGINAL

A	(J
0.343[8.71]			0.156[3.96] -1.100[27.94] -1.246[31.65]	
		-	— 1.532[38.91] — —	



See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

ACAD REFERENCE NO.

J.LEE

SECTION A-A

307 ENG MASTER

OF 3

ISSUE

DATE: AUG. 11/09

DATE:

SHEET 1

307 / 357 Card Edge Connector DRAWN: Part Number: 357-006-421-108 CHECKED: **EDAC INC** SCALE: NTS THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED DRAWING NUMBER CANADA OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS 307 Assembly YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISSION.



