<u>Mou</u>	unting Option 128 (3.25) Dia. Side Mounting Holes	Contact Detail 500-Wire Hole .087x.013 .156 [3.96] Contact Space	3(2.21x0.33) - Tail LG.= ing x .140 [3.56] Row S	.282(7.16) pacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.		ISSUE NUM	_
	Card Slot Accepts054 (1.37) to .070 (1.78) Thick P.C. Board							
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0.156[3.96]							
		5.936[15 6.082[15	-					
	<	6.368[16	51.75]—————		-			
						_	, t	
						30 [8.38	Card Slot	
	Α					C	;	
<u> </u>					0	<u>†</u>		ON A-A
[89]								SECTION
0.460[11.68]	6.368[161.75]						0.125 [3.1 Point of C	
Ö	305 / 315 / 355 Card Edge Connector					ACAD REFERENCE NO. 305 ENG MASTER		
		Part Number: 305-074-500-512			DRAWN: J.LEE CHECKED:	DATE: SE	PT. 21/09	
				THESE DRAWINGS AND SPECIFICATIONS	SCALE: NTS	SHEET	1 OF 2	
See Accompanying Page for:		TORONTO, ONTA	TORONTO, ONTARIO	ARE THE PROPERTY OF EDAC INC. AND	DRAWING NUMBER		ISSUE	
Mounting Options			YOUR CONNECTION TO	CANADA QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS		′	1

