



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER ORIGINAL

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

NOTES:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-11W1622-7N1		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-11W1622-7N1		1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






(1)

21W4 Male/Female

PART NUMBER:




628-11W1622-7N1

		33.30 35.30 16.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.6			ese	
		11W1 Male/Female	27W2 Male/Fema	le		
47.06 - 14.48 - 14.48 - 14.48 - 90 - 90	3W8 Female 31.75 22.97 4 4 4 4 4 4 4 4 4 4	33.30 16.65 9.70 4.31 9.70 4.31 9.70 4.31 9.70 4.31 9.70 4.31 9.70 4.31 9.70 4.31 9.70 4.31 9.70 4.31 9.70		83.50 31.75 2 4 + + + + + + + + + + + + + + + + + + +	and the second sec	
<u>†*ανα*†</u> † <u>1908</u> *†	teast incert	17W2 Male/Female	21W1 Male/Fema	83.50 22.70 16.42 15.24 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77 12.77		
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ØA			23.63	^{ya}	
			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINAT	COMBINATION D-SUB			1/2019 OF 4	
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTA CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-11W	/1622-7N1	ISSUE	
	YOUR CONNECTION TO QUALITY & SERV	ICE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-11W	/1622-7N1	1	


5W5 Male

5W5 Female

COMPLIANT



8W8 Male



WITHOUT WRITTEN PERMISSION.



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25






9W4 Male



25W3 Male




47.05

9W4 Female

김 영


13W3 Female

.XX ±0.13 .XXX ±0.05




23.53


25W3 Female





13W3 Male



36W4 Male








13W6 Male




43W2 Male





17W5 Female



43W2 Female


47W1 Female

36W4 Female




17W5 Male


COMPLIANT



47W1 Male







	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-11W1622-7N1		ISSUE
			PART NUMBER: 628-11W	1622-7N1	1