



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER ORIGINAL

(1)







NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

ſ			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-24W7	7222-2T1	ISSUE	
ļ			PART NUMBER: 628-24W7	7222-2T1	1	



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



 TOLERANCE
 UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING
 ISSUE NUMBER


 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.
 ORIGINAL


 XX
 ±0.13
 XXX
 ±0.05


5W1 Male/Female


7W2 Male/Female













(1)


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION D-SUB		DRAWN: C.B DATE: JAN. 01/)19
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628	-24W7222-2T1	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628	-24W7222-2T1	1

5W5 Male

5W5 Female




23.63

8W8 Male


8W8 Female

31.76


3W3 / 3WK3



53.50



11W1 Male/Female



17W2 Male/Female

30A / 3.7 40A / 4.2

CURRENT RATING / ØA 10A / 2.2 20A / 3.3

F #HS
COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.








25W3 Male

36W4 Male




31.75 16,10 22 11.08 ŀ€ 2.77 6.72





25W3 Female


36W4 Female




13W3 Male










13W6 Male



43W2 Male










47W1 Female



17W5 Male


COMPLIANT






2.77







			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-24W	7222-2T1	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7222-2T1	1

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

17W5 Female