

Data sheet | Item number: 706-4756/202-200

System cable; for Rockwell Control Logix; 8 digital outputs for higher voltages, var. 1; Length: 2 m; Conductor cross-section: 0.34 mm²



www.wago.com/706-4756/202-200



i Picture differs from the item.

Color coding acc. to DIN VDE 47100	Connector WAGO 231 (JA)		PLC connector		
	Pin number	Wiring	Pin number	Signal	
White		1	OUT0.0	1	OUT0
Brown		2	OUT0.1	3	OUT1
Green		3	OUT0.2	5	OUT2
Yellow		4	OUT0.3	7	OUT3
Grey		5	OUT0.4	11	OUT4
Pink		6	OUT0.5	13	OUT5
Blue		7	OUT0.6	15	OUT6
Red		8	OUT0.7	17	OUT7
Black		9	+/L	2+12	DC(+)
Violet		10	-/N	10+20	RTN OUT
Grey-Pink		11	nc	nc	nc
Red-Blue		12	nc	nc	nc

Data Notes

Note

If less than 3 channels are used simultaneously, the maximum current per conductor is 2 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L. If more than 3 channels are used simultaneously, the maximum current per conductor is 0.75 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L.

Electrical data

Inputs/outputs	8 digital outputs; for higher voltages
Operating voltage	≤ AC/DC 250 V
Current per wire (max.)	0.75 A

Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Rockwell

Rockwell Control Logix	1756 - OC8
------------------------	------------

Connection data

Cable type	LiYY
Color code	per DIN VDE 47100

Connection 1

Connector	WAGO 231 Series
Pole number 1	10
Connection type 1	System
Wire cross-section	0.34 mm ²

Connection 2

Connector 2	Allen Bradley 1756-TBSH
Pole number 2	20
Connection type 2	System

Physical data

Cable length	2 m
--------------	-----

Material Data

Weight	454 g
--------	-------

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143982986

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Customs tariff number

85444290900

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide

pdf

Download

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

545.9 kB

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-4756/202-200

URL

Download

System cable; for Rockwell Control Logix; 8 digital outputs for higher voltages, var. 1; Length: 2 m; Conductor cross-section: 0.34 mm²

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.