


1 POINT OF MEASUREMENT FOR PLATING THICKNESS

2 THE TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADERS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD



1471-9 (3/11)

В

А

	3.984	3.900	39	80	4-87	215-0	
	3.884		38	78	3-	-9	
	3.784	3.700	37	76	3-	-8	
	3.684	3.600	36	74	3-	-7	
	3.584	3.500	35	72	3-	-6	
	3.484	3.400	34	70	3-	-5	
	3.384	3.300	33	68	3-	-4	
	3.284	3.200	32	66	3-	-3	
	3.184	3.100	31	64	3-	-2	
	3.084	3.000	30	62	3-	— 1	
	2.984	2.900	29	60	3-	-0	
	2.884	2.800	28	58	2-	-9	С
	2.784	2.700	27	56	2-	-8	
	2.684	2.600	26	54	2-	-7	
	2.584	2.500	25	52	2-	-6	
	2.484	2.400	24	50	2-	-5	
	2.384	2.300	23	48	2-	-4	
	2.284	2.200	22	46	2-	-3	
	2.184	2.100	21	44	2-	-2	
	2.081	2.000	20	42	2	- 1	
	1.984		19	40	2-	-0	
	1.884		18	38	1 —	-9	
	1.784		17	36	1-	-8	
	1.684		16	34	1 —	-7	
	1.584		15	32	1 -	-6	
	1.484		14	30	1-	-5	2
	1.384		13	28	1 —	-4	51
	1.084		10	22	1-	-3	87
	.284	.200	2	6	1 —	-2	В
	.184	.100	1	4	1-	- 1	_
	.084			2	1-	-0	
	1.284		12	26		-9	
	1.184		1 1	24		-8	
	.984	.900	9	20		-7	
	.884	.800	8	18		-6	
	.784	.700	7	16		-5	
	.684	.600	6	14		-4	
	.584	.500	5	12		-3	
	.484	.400	43	10	07	$\frac{1}{215}$	
	.384	.300	0	8	07.	215-1	
				NO	ASSE	IMBLY	
	C	B	A	OF		ART	
				POS	I NUN	1BER	
THIS DRAWING IS A CONTROLLED DOCUMENT.	3-15-85						
СНК	MAYER 5-21-85		TE	TE	Connectivit	.y	А
OTHERWISE SPECIFIED: APVD	ZOLA 5-21-85 NAME						
0 PLC ± - PRODU	LICKER ct spec		SSEMBLY,				
	- CATION SPEC		JBLE ROW. RTICAL, .02				
3 PLC ± .005 APPLIC 4 PLC ± - ANGLES ±	- SIZE		RAWING NO	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		RESTRICTED TO	
MATERIAL HOUSING-FLAME RETARDENT POSTS000030 GOLD ON WEIGHT	– A2	200779	- 87215	5		—	
COLOR-BLACK THE CONTACT AREA, GOLD	TOMER DRAWING		SCAL	_ESH	IEET 1 OF 1	REV K	
				I			

SDDFSDF

D

LOC	DIST			REVISIONS			
AD	39	Ρ	LTR	DESCRIPTION	DATE	DWN	APVD
			К	PLASTIC MATERIAL SUPPLIER CHANGED FOR HOUSING	07MAY2021	SB	KJK

2