

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0350979712**
Status: **Active**
Overview: Standard Quick-Disconnect Terminals
Description: MP-Lock™ Quick Disconnect, Female, for 20-26 AWG (0.50-0.12mm²) Wire, Metal Strip, Tab 2.79 x 0.51mm, Pre-Tin Plated

Documents:

[Drawing \(PDF\)](#) [Packaging Specification PK-35097-001-001 \(PDF\)](#)
[Product Specification PS-35097-002-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

UL E92853

General

Product Family Quick Disconnects
 Series 35097
 Crimp Quality Equipment Yes
 Insulated No
 Overview Standard Quick-Disconnect Terminals
 Product Name MP-Lock™
 Type Quick Disconnect
 UPC 800753926257

Physical

Barrel Type Open
 Gender Female
 Glow-Wire Compliant No
 Insulation None
 Lock to Mating Part None
 Material - Metal Brass
 Material - Plating Mating Tin
 Material - Plating Termination Tin
 Net Weight 0.226/g
 Orientation Straight
 Packaging Type Reel
 Plating min - Mating 0.813µm
 Plating min - Termination 0.813µm
 Polarized to Mating Part No
 Tab Thickness 0.51mm
 Tab Width 2.79mm
 Temperature Range - Operating -40°C to +120°C
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 2.80mm max.
 Wire Size AWG 20, 22, 24, 26

Electrical

Voltage - Maximum 250V


Solder Process Data

Lead-free Process Capability N/A

Material Info

Reference - Drawing Numbers

Packaging Specification PK-35097-001-001
 Product Specification PS-35097-002-001
 Sales Drawing SD-35097-9*12



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per
 -ED/01/2017 (12
 January 2017)

Halogen-Free

Status

Low-Halogen

**Need more information on product
 environmental compliance?**

Email productcompliance@molex.com
 Please visit the [Contact Us](#) section for any
 non-product compliance questions.

China ROHS Green Image
 ELV Not Relevant
 RoHS Phthalates Not Contained

Search Parts in this Series

35097 Series

Use With

2.80mm Tab

This document was generated on 07/24/2017

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION