

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Safe-IT Multi-Device UV Charging Station, Hospital-Grade, 16 USB Ports, iPad and Android Tablets, Antimicrobial, White

MODEL NUMBER: CS16USBWHG











Charges, syncs, secures, organizes and sanitizes up to 16 USB devices in healthcare, education, retail, warehouse and office settings.

Features

Wall-Mount Charging Cabinet Accommodates up to 16 USB Mobile Devices This 120V charging station provides USB charging, secure storage, cord management and surface sanitization for as many as 16 iPad, iPod, iPhone, Android, Surface, Kindle and other USB tablets and smartphones. The USB ports deliver the fastest charging supported by each connected device, up to 2.4A per port. A USB uplink port connects to a host computer for wired syncing. The tablet charging station is recommended for healthcare facilities, classrooms, businesses, government agencies, restaurants, hotels and anywhere else that uses mobile devices on a daily basis.

UV Light Helps Sanitize Devices without Potentially Dangerous Heat, Liquids or Chemicals The CS16USBWHG helps reduce the presence of germs on Chromebooks, laptops and tablets. Built-in ultraviolet lights help disinfect electronic devices at the touch of a button by destroying most microbes without the use of damaging heat, liquids or chemicals. The germicidal UVC bulbs are on a timer to control the amount of UV exposure the devices receive. An LED on the exterior of the cabinet indicates when the doors are closed and the start button can be pressed to activate the 10-minute timer. A second LED indicates when the UVC lights are on. If a door is opened during sanitization, the lights automatically shut off for safety.

Exclusive, Patented Antimicrobial Protection Inhibits the Growth of BacteriaThe charging cabinet's interior and exterior surfaces are protected by a patented antimicrobial powder coating with EPA-registered and FDA-compliant silver ionic technology. The coating meets the requirements of JIS Z 2801:2000, an international standard for evaluating efficacy in antimicrobial products.

Locking Steel Enclosure Keeps Valuable Equipment Safe and SecureConstructed from heavy-duty steel, this charging cabinet provides safe, secure storage. The split front doors lock with the included keys to help prevent theft, damage and tampering. For extra security, the front door can be fastened with a user-supplied padlock. Flow-through ventilation helps protect against overheating, and the specially coated shelves help prevent device scratches and scuffs.

Mounts Easily to the Wall of a Nurse's Station, Classroom or Back OfficeFour rear keyhole cutouts allow efficient wall mounting. Cutouts accommodate M5 or 3/16-inch bolts (not included) and are spaced 16 inches apart horizontally and 12 inches vertically to match standard wall studs. The CS16USBWHG

Highlights

- 16 internal USB-A ports charge mobile devices with optimum charge level up to 2.4A
- Ultraviolet (UVC) lights help disinfect devices without use of damaging heat or chemicals
- Patented antimicrobial coating is 99.9% effective in inhibiting the growth of bacteria
- Steel enclosure locks with included keys to discourage theft, damage and tampering
- 10 ft. (3 m) cord with NEMA 5-15P HG plug allows great flexibility in reaching AC outlets

Applications

- Charge up to 16 Apple, Android, Microsoft, Amazon and other USB tablets and smartphones in medical facilities, schools, businesses and government organizations that rely on the daily use of mobile devices
- Sanitize your devices with ultraviolet light to reduce the presence of germs

Package Includes

- CS16USBWHG Hospital-Grade 16-Device UV Charging Cabinet, White
- (2) Keys
- · Owner's manual



also supports stationary desktop or floor placement installations. You can also convert it to a mobile cart with Tripp Lite's optional non-antimicrobial CSHANDLEKIT2 (sold separately), and roll it where needed.

Well-Organized to Avoid Confusing Cable ClutterCables and connectors run through strain relief bushings, keeping them organized and out of the way, and are protected by blanking panels. Adjustable dividers accommodate up to 16 devices. Front doors open at least 180 degrees to allow maximum access to the interior. Access grommets allow the 10-foot (3-meter) cord with hospital-grade NEMA 5-15P plug to extend through either side of the cart, allowing great flexibility in reaching AC outlets.

Specifications

OVERVIEW		
UPC Code	037332240132	
Product Type	Multi-Device Charger	
Charging Form Factor	Stationary Cabinet	
Functions	Charge; Secure; Sync; Sanitize	
Device Compatibility	Tablet; Phone	
Device Slots	16	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Input Connection Type	C14 inlet with 110-120V AC compatibility. Also accepts user-supplied country-specific AC cordsets	
Input Frequency	50 / 60 Hz (auto-select)	
Input Plug Type	NEMA 5-15P	
Input Cord Length (ft.)	10	
Input Cord Length (m)	3.05	
CHARGING		
Number of Charging Ports	16	
Total Charging Amps	40A	
Charging Method	USB	
Charging Port Type	USB A (FEMALE)	
Charging Ports Details	Pass through	
Overcharge Protection	Yes	
Charging Amps per Port	2.4A	
PHYSICAL		
Color	White	
Material of Construction	Steel	





Shipping Dimensions (hwd / in.) 24.53 x 33.66 x 23.62 Shipping Weight (kg) 50.50 Slot Dimensions (hwd / in.) 10.6 x 1.5 x 15.4 Slot Dimensions (hwd / in.) 268.1 x 38.2 x 390.5 Unit Dimensions (hwd / rm.) 47.75 x 77.04 x 54.86 Unit Dimensions (hwd / rm.) 18.8 x 30.33 x 21.6 Unit Weight (kg.) 38.40 Unit Weight (kg.) 38.40 Unit Weight (bs.) 84.86 Number of Shelves 1 ENVIRONMENTAL Power Consumption (Watts) 56 FEATURES & SPECIFICATIONS Cord Management No EMURFI Line Noise Protection Yes Locking Yes Locking Yes Vercurrent Protection Yes Overcurrent Protection Yes Overcurrent Protection Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) WARRANTY Product Warranty Period Wordswidels Product Warranty Period Wordswidels Vercurrenty Protection Vercurrenty Protection Vexer Imited warranty Product Warranty Period Wordswidels Vexer Imited warranty		
Shipping Weight (kg) 50.50 Slot Dimensions (hwd / in.) 10.6 x 1.5 x 15.4 Slot Dimensions (hwd / rm) 28.8 t x 38.2 x 390.5 Unit Dimensions (hwd / cm) 47.76 x 77.04 x 54.86 Unit Dimensions (hwd / in.) 18.8 x 30.33 x 21.6 Unit Weight (lbs.) 84.66 Number of Shelves 1 ENVIRONMENTAL Power Consumption (Watts) 56 FEATURES & SPECIFICATIONS Cod Management No McMiRFF Line Noise Protection Yes Locking Yes Lock Type Key: Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes I/Overcurrent Protection Yes Flow-Through Ventilation Yes STANDARDS & COMPLIANCE Certifications Certifications Tested to ELN-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico)	Antimicrobial	Yes
Siot Dimensions (Inwd / In.)	Shipping Dimensions (hwd / in.)	24.53 x 33.66 x 23.62
Siot Dimensions (Inwd / mm)	Shipping Weight (kg)	50.50
Unit Dimensions (hwd / cm)	Slot Dimensions (hwd / in.)	10.6 x 1.5 x 15.4
Unit Dimensions (hwd / in.) 18.8 x 30.33 x 21.6 Unit Weight (kg) 38.40 Unit Weight (kg) 84.66 Number of Shelves 1 ENVIRONMENTAL Power Consumption (Walts) 56 FEATURES & SPECIFICATIONS Cord Management No EMURFI Line Noise Protection Yes Locking Yes Locking Yes Unit User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes UV Sterilization Yes UV Sterilization No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals ROM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period 2-year limited warranty CATEGORY PAGE FILTERS (YN ONLY)	Slot Dimensions (hwd / mm)	268.1 x 38.2 x 390.5
Unit Weight (kg) 38.40 Unit Weight (lbs) 84.66 Number of Shelves 1 ENVIRONMENTAL Power Consumption (Watts) 56 FEATURES & SPECIFICATIONS COrd Management No EMI/RFI Line Noise Protection Yes Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Covercurrent Protection Yes Covercurre	Unit Dimensions (hwd / cm)	47.75 x 77.04 x 54.86
Unit Weight (lbs.) 84.66 Number of Shelves 1 ENVIRONMENTAL Power Consumption (Watts) 56 FEATURES & SPECIFICATIONS Cord Management No EMURFI Line Noise Protection Yes Locking Yes Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Ves Overcurrent Protection Yes LIV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals ROM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period Locking Lock Type ROM (Mexico) Zeyear limited warranty Locking Lock Type Lock Type Rom (Mexico) Rom (Mexico) Locking Rom (Mexico) Locking Rom (Mexico) Locking Rom (Mexico) Locking Locki	Unit Dimensions (hwd / in.)	18.8 x 30.33 x 21.6
Number of Shelves 1 ENVIRONMENTAL Power Consumption (Watts) 56 FEATURES & SPECIFICATIONS Cord Management No EMURFI Line Noise Protection Yes Locking Yes Lock Type Key: Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period Category PAGE FILTERS (YN NULY)	Unit Weight (kg)	38.40
Power Consumption (Watts) FEATURES & SPECIFICATIONS Cord Management No EMI/RFI Line Noise Protection Yes Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes VYes LV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals ROHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period WORD AND AND AND AND AND AND AND AND AND AN	Unit Weight (lbs.)	84.66
Power Consumption (Watts) 56 FEATURES & SPECIFICATIONS Cord Management No EMI/RFI Line Noise Protection Yes Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes LUX Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period CATEGORY PAGE FILTERS (YN ONLY)	Number of Shelves	1
Cord Management No EMI/RFI Line Noise Protection Yes Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes LV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period Worldwide) CATEGORY PAGE FILTERS (YN ONLY)	ENVIRONMENTAL	
Cord Management No EMI/RFI Line Noise Protection Yes Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes UV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Power Consumption (Watts)	56
EMI/RFI Line Noise Protection Yes Locking Yes Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	FEATURES & SPECIFICATIONS	
Locking Yes Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes UV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	Cord Management	No
Lock Type Key; Padlock (User Supplied) Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes UV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	EMI/RFI Line Noise Protection	Yes
Built-In Circuit Breaker Yes Overcurrent Protection Yes Flow-Through Ventilation Yes UV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	Locking	Yes
Overcurrent Protection Yes Flow-Through Ventilation Yes UV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	Lock Type	Key; Padlock (User Supplied)
Flow-Through Ventilation Yes UV Sterilization Yes Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Built-In Circuit Breaker	Yes
Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Overcurrent Protection	Yes
Antibacterial No STANDARDS & COMPLIANCE Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Flow-Through Ventilation	Yes
Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	UV Sterilization	Yes
Certifications Tested to EIA-310-E, UL60950, FCC & IEC Class B Approvals ROHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Antibacterial	No
Approvals RoHS NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	STANDARDS & COMPLIANCE	
NOM (Mexico) Tested to NOM (Mexico) WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Certifications	Tested to EIA-310-E, UL60950, FCC & IEC Class B
WARRANTY Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Approvals	RoHS
Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	NOM (Mexico)	Tested to NOM (Mexico)
(Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	WARRANTY	
	Product Warranty Period (Worldwide)	2-year limited warranty
External Receptacle No	CATEGORY PAGE FILTERS (Y/N ONLY)	
	External Receptacle	No

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies