ABSOCIATION CONNECTING ELECTROMICS INDUSTRIES® International and P	IPC, Bannock	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declar he declaration	ration of n encom	the substance passes all low	s within the er level mat	manufactur erials for w	rer listed ite hich the m	em. Note: anufacture	if the item is an as er has engineering	sembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mf	g Informa	ation	
Supplier Information														
Company name*	Company unique ID			Unique ID Authority					Response Date*					
nsemi									2023-06-08					
Contact Name	Title - Contac	Title - Contact			Phone - Contact*					Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
uthorized Representative*	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Requester Item Number Mfr Ite		m Number Mfr Item Name			Effective Da	ate Vei	rsion	Manufacturing Site		V	/eight*	UOM	Unit Type
	FXLP34	FXLP34FHX 1-Bi		1-Bit Translator Uni		2023-06-08			TH2		1	.397	mg	Each
Aanufacturing Proccess Inform	ation												1	ł
Terminal Plating / Grid Array M	Iaterial '	Terminal Base A	Alloy	-STD-020 MSL Rating		Peak Process Body Tempera		ody Temperat	ture Max Time at Peak Tem		Temperatu	erature Number of Reflow Cycles		eles
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С	30 s		second	s 3		
omments														
vel 1 - maximum time at peak tempera	ture during so	oldering is 10-3	0 seconds											
or more information regarding materia	l composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.111	mg	Supplier	Silicon (Si)	7440-21-3		0.111	mg		
Die Attach Epoxy	0.014	mg		Epoxy resin	proprietary data		0.0042	mg		
			Supplier	Diethylene glycol monoethyl ether acetate	112-15-2		0.0049	mg		
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0049	mg		
Lead Frame	0.402	mg	Supplier	Zinc (Zn)	7440-66-6		0.0005	mg		
			Supplier	Iron (Fe)	7439-89-6		0.0094	mg		
			Supplier	Copper (Cu)	7440-50-8		0.392	mg		
			Supplier	Phosphorus (P)	7723-14-0		0.0001	mg		
Mold Compound-Black	0.852	mg	Supplier	Carbon Black (C)	1333-86-4		0.0043	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		0.7498	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.0554	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0426	mg		
Plating	0.014	mg	Supplier	Palladium (Pd)	7440-05-3		0.001	mg		
			В	Nickel (Ni)	7440-02-0		0.013	mg		
			Supplier	Gold (Au)	7440-57-5		0	mg		
Wire Bond - Au	0.004	mg	Supplier	Gold (Au)	7440-57-5		0.004	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).