



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


Â	







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DATE: JAN. 01/2019 DRAWN: C.B CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF 4 SCALE: (IN C.A.D. 1:1) SHEET 1 C INC ARE THE PROPERTY OF EDAC INC. AND ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-17W2222-2N1 ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE IADA MANUFACTURE OR SALE OF APPARATUS 1 SERVICE PART NUMBER: 628-17W2222-2N1 WITHOUT WRITTEN PERMISSION.



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	EDAC TORONTO, CAN
YOUR CONNECTION	ON TO QUALITY &





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

628-17W2222-2N1



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female

	otto male				
47.05 23.53 14.48 14.58 14		33.30 5680 15.85 1.32 50 50 50 50 50 50 50 50 50 50		63.50 31.75 31.75 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 +	- see
		11W1 Male/Female	27W2 Male/Femal	e	
47.05 	8W8 Female 31.75 22.87 31.75 22.87 4 4 4 4 4 4 4 4 4 4	17W2 Male/Female			
CURRENT RATING /	/ ØA	17 WZ Walch Chiale	21 W F March emai	C.	
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	$\frac{1}{1000} + \frac{1}{1000} + 1$				
		COMBINATION D-SUB		COMBO ASSEMBLY	
	COMBIN			DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.		A OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-17W	2222-2N1	ISSUE
		MANUEACTURE OR SALE OF APPARATUS	PART NUMBER: 628-17W	2222-2N1	1

WITHOUT WRITTEN PERMISSION.


5W5 Male

5W5 Female



8W8 Male

COMPLIANT



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 1





13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











				SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
			DRAWING NUMBER: 628-17W2222-2N1		ISSUE	
			PART NUMBER: 628-17W	2222-2N1	1	