



Product: 6220FL ☑

Fire Alarm, #16-2c BC, Shielded, FPLP

# **Product Description**

Fire Alarm Cable, Plenum-FPLP, 2-16 AWG solid bare copper conductors with Flamarrest® insulation, overall Beldfoil® shield, Flamarrest® jacket with ripcord

# **Technical Specifications**

# **Product Overview**

Suitable Applications:	Fire Alarm, Monitor/Detection, Circuits: Audio, Control, Initiating, Notification, Noisy Environment

### **Construction Details**

#### Conductor

Element	Number of Element	Size	Stranding	Material
Conductor(s)	2	16 AWG	Solid	BC - Bare Copper

#### Insulation

Element	Material	Nom. Thickness	Nom. Insulation Diameter	Color Code
Conductor(s)	PVC - Polyvinyl Chloride	0.010 in (0.25 mm)	0.071 in (1.8 mm)	Black, Red

# Outer Shield

Shield Type	Material	Coverage	Drainwire Type
Tape	Bi-Laminate (Alum+Poly)	100%	24 AWG (Solid) TC

### Outer Jacket

PVC - Polyvinyl Chloride   0.015 in (0.38 mm)   0.178 in (4.52 mm)   Yes	Material	Nom. Thickness	Nom. Diameter	Ripcord
	PVC - Polyvinyl Chloride	0.015 in (0.38 mm)	0.178 in (4.52 mm)	Yes

Overall Cable Diameter (Nominal): 0.178 in (4.52 mm)

# **Electrical Characteristics**

# Electricals

Element	Nom. Conductor DCR	Nom. Capacitance Cond-to-Cond	Nom. Capacitance Cond-to-Other (Conds + Shield)	Max. Current
Conductor(s)	3.85 Ohm/1000ft	77 pF/ft (250 pF/m)	139 pF/ft (456 pF/m)	14.4 Amps per conductor @ 25°C

# Voltage

UL Voltage Rating 300 V

# **Mechanical Characteristics**

### Temperature

<b>UL Temperature</b>	Operating
75°C	0°C to +75°C

## Bend Radius

Stationary Min.	Installation Min.	
2.67 in (67.8 mm)	2.67 in (67.8 mm)	

Max. Pull Tension: 68 lbs (31 kg)

|--|

#### **Standards and Compliance**

Environmental Suitability:	Indoor - Plenum, Indoor
Flammability / Reaction to Fire:	NFPA 262, UL 910 (Plenum), IEC 60332-1-2
CPR Compliance:	CPR Euroclass: Eca
NEC / UL Compliance:	Article 760, FPLP
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
UK Regulation Compliance:	UKCA Mark
APAC Compliance:	China RoHS II (GB/T 26572-2011)
Other Standard Compliance(s):	California State Fire Marshall
Non-Plenum Number:	5220FL

### History

Update and Revision:	Revision Number: 0.462 Revision Date: 04-03-2023

### **Part Numbers**

#### **Variants**

Item #	Color	UPC
6220FL 0101000	Black	612825378303
6220FL 0101000	Black	612825378303
6220FL D151000	Blue	612825174349
6220FL 0021000	Red	612825174356
6220FL 002C500	Red	

#### © 2023 Belden, Inc

### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.