



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/201	9		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-24W7224-4T6		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7224-4T6	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

47.08

2011/65/EU FOR RoHS COMPLIANCY.

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female






(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

628-24W7224-4T6

OF 4

ISSUE

1

		*	
		11W1 Male/Female	
ē	8W8 Female	33.30	
47.06 23.53 14.48 14.48 8.38 8.38 8.38 8.38		17W2 Male/Female	SPECIFICATIONS EDAC INC.,AND JCED,OR COPIED
CURRENT RAT	ING / ØA		
10A / 2. 20A / 3. 30A / 3. 40A / 4.	3 7		
COMBINATION D-SUB			
			-16
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC., AND	CA
THE EUROPEAN UNION DIRECTIVES		ONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED DF	٦Æ

CANADA

WITHOUT WRITTEN PERMISSION.

YOUR CONNECTION TO QUALITY & SERVICE

63.50

31.75

628 COMBO ASSEMBLY W REFERENCE NO .: C.B DATE: JAN. 01/2019 RAWN: HECKED: DATE: SHEET 3 CALE: N.T.S 628-24W7224-4T6 DRAWING NUMBER: OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

PART NUMBER:

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


 .X
 ±0.25










25W3 Male













13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female

36W4 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-24W7224-4T6		ISSUE
			PART NUMBER: 628-24W	7224-4T6	1