



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



| ISSUE NUMBER |     |
|--------------|-----|
| ORIGINAL     | (1) |





## NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

|  |                                      |  | SW REFERENCE NO.: 628 COMBO ASSEMBLY |                    |       |  |
|--|--------------------------------------|--|--------------------------------------|--------------------|-------|--|
|  |                                      |  | DRAWN: C.B                           | DATE: JAN. 01/2019 |       |  |
|  |                                      | CHECKED:   | DATE:                                |                    |       |  |
|  | EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED,OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | SCALE: (IN C.A.D. 1:1)               | SHEET 1 OF         | 4     |  |
|  | TORONTO, ONTARIO<br>CANADA           |  | DRAWING NUMBER: 628-36W              | 4224-2N4           | ISSUE |  |
|  | YOUR CONNECTION TO QUALITY & SERVICE |  | PART NUMBER: 628-36W                 | 4224-2N4           | 1     |  |






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






(1)


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS SHEET 3 OF 4 SCALE: N.T.S EDAC INC ARE THE PROPERTY OF EDAC INC., AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-36W4224-2N4 DRAWING NUMBER: ISSUE OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-36W4224-2N4 WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female





23.53

8W8 Male


8W8 Female

31.76






11W1 Male/Female



17W2 Male/Female



10A / 2.2 20A / 3.3 30A / 3.7







THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male











36W4 Female




13W3 Male











13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT



47W1 Male







|   |  | SW REFERENCE NO.: 628 COMBO ASSEMBLY   |                         |            |       |
|---|--|--|-------------------------|------------|-------|
|   | COMBINATION  | DRAWN: C.B   | DATE: JAN. 01/20        | 19         |       |
|   |  |  | CHECKED:                | DATE:      |       |
| THIS SERIES FULLY CONFORMS TO<br>THE EUROPEAN UNION DIRECTIVES<br>2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC<br>TORONTO, ONTARIO<br>CANADA<br>YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED,OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S            | SHEET 4 OF | 4     |
|   |  |  | DRAWING NUMBER: 628-36W | 4224-2N4   | ISSUE |
|   |  |  | PART NUMBER: 628-36W    | 4224-2N4   | 1     |