



ITEM	MOLEX PART#	DESCRIPTION	QTY	UOM
A,B	1510340012	Guardian II Rcpt Hsg 6AWG PBT 2Ckt	2	PC
C	1510760012	Guardian II TPA PBT 2Ckt	2	PC
D	468190013	Guardian TERM, 6AWG CRIMP, GOLD	4	PC
E	--	PART IDENTIFICATION LABEL	1	PC

FROM	TO	CABLE PART#	DESCRIPTION	COLOR
A1	B1	--	6AWG,UL10669,PVC BLACK,105C,600V,VW-1	BLACK
A2	B2			

EXPLODED VIEW OF WIRE HARNESS FOR REFERENCE



PART#	DESCRIPTION	LENGTH (L)
2180560205	2 CKT DISCR GUARDIAN R-R 500MM	500±10
2180560210	2 CKT DISCR GUARDIAN R-R 1M	1000±20
2180560220	2 CKT DISCR GUARDIAN R-R 2M	2000±20

- NOTES:
- 1.CABLE ASSY. TO BE ENSURED FOR CONTINUITY AND POLARITY.
 - 2.CONNECTOR VIEW IS SHOWN FROM MATING SIDE.
 - 3.UL10669 CABLE MEETS OPERATING TEMP. OF 105°C & FLAMMABILITY CLASS OF VW-1.
 - 4.ASSY. TO MEET PS - 151053.
 - 5.PART IDENTIFICATION LABEL TO BE PRINTED AS PER BELOW

P/N : 218056XXXX
MOLEX
BATCH : WK/YR

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex		
	△/A = 0	mm NTS					
△/E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 685917		PRODUCT CUSTOMER DRAWING		
△/V = 0	ANGULAR TOL ± 1.0°		DRWN: VSHEELAVANT 2021/11/18				
DIVISIONAL SYMBOLS	4 PLACES ±		CHK'D: AMV 2021/12/07		DOC TYPE: PSD		
	3 PLACES ±		APPR: AMV 2021/12/07				
	2 PLACES ± 0.25		INITIAL REVISION:		REVISION: C		
	1 PLACE ± 0.5		DRWN: VSHEELAVANT 2021/02/23				
0 PLACES ±		APPR: AMV 2021/12/07		CUSTOMER: OTS			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING: A3-SIZE				SERIES: 218056