



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	OF 4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W1-624-1N3		ISSUE	
			PART NUMBER: 628-5W1	-624-1N3	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



ale



ale

		\$	33.30 35.30 15.65 1.39 9 9 9 9 9 9 9 9 9 9 9 9 9		
		11W1	Male/Female	27W2 Male	:/Femal
47.05 23.63 4 - 14.48 - 14.48 - 90 - 95 - 95	8W8 Female 31.75 22.83 22.97 4 4 4 4 4 4 4 4 4 4	⊳	33.30 19.65 9.70		
		17W2	Male/Female	21W1 Male	/Femal
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ØA	Han a start a	47.00 23.55 	3 7	
	COMBINATION D-SUB			SW REFERENCE NO.:	628 C
				DRAWN: C.B	
			THESE DRAWINGS AND SPECIFICATIONS	CHECKED: SCALE: N.T.S	
FRIES FULLY CONFORMS TO	EDA EDA	C INC	ILLUE STATINGOT AND OF LOW TOATIONS	JOUALE: N.I.S	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

SW REFERENCE NO.: 628 COMBO ASSEMBLY					
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	DATE: JAN. 01/2019	
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628	-5W1-624-1N3	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628	-5W1-624-1N3	1	



 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male




25W3 Male





36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT









,		SW REFERENCE NO.: 628 C	COMBO ASSEMBLY	LY		
1	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19	
1			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-5W1-	1-624-1N3	ISSUE	
2011/03/E01 OK KONS COMILERNOT.			PART NUMBER: 628-5W1-	1-624-1N3	1	