		REV	CHANGE	DATE	DRN	снк
			Drawn	02/08/17	SJ	Т
a a constant of the constant o						
			TAA			
→ 0.315	0.339 -	H	TM → 0.3	75		
[8.00] HEX	[8.60]		[9.5	3]		
<del>  - (( -   - )) -  </del>			> <b></b>			
		學學學		HREAD		
			M	5X0.8		

0.512 [13.00]

**NOTES:** 

1. Material: Nylon

2. Finish:

3. ASME Y14.5M - 2009

4. All Drawing Dimensions are in Inches [mm]5. Unless otherwise specified; Edge Breaks, Radii or Countersinks 0.005-0.015



95 Silvermine Rd.,Seymour CT 06483 Tel: 203-888-2133,Fax: 203-888-9860

This Drawing is the Property of RAF. It contains confidential, proprietary information that is RAF property. Do not disclose to or duplicate for others except as authorized by RAF.

**THREAD** M5X0.8

> **TOLERANCES** ALL DIMENSIONS ARE INCHES (UNLESS OTHERWISE SPECIFIED)

METALLIC
LENGTHS </=: 6 INCHES ± 0.005
LENGTH >: 6 INCHES ± 0.010
DIAMETERS: ± 0.005 NON-METALLIC

LENGTH: ±0.010 DIAMETERS: ± 0.010 INTERNAL THREADS: MINIMUM THREAD DEPTH

	COMPONENT	STANDOFFS		
			SCAL	
			4.00	
	8 MM HEX MALE-FEMALE STANDOFFS		SHEE	
-	0 101101 1127( 1017(22 1 2107(22	1 of		

- 1½ THREADS MAX. TO MINOR DIA.

> LE ΕT