




.XX ±0.13 .XXX ±0.05














MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-36W	4224-7NB	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-36W	4224-7NB	1






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




628-36W4224-7NB


					, sue
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 23.03 14.46 14.46 9 9 9 9 9 9 9 9 9 9 9 9 9	8W8 Female	33.30 16.65 9.70 8.31 9.70		63.50 31.75 2 15.24 ++++++ ++++++ 2	,
	tanan tan	17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA			47.05 23.03 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	P
		COMBINATION D-SUB		COMBO ASSEMBLY	
	COMBINA			DATE: JAN. 01/20	019
			CHECKED:	DATE:	
HIS SERIES FULLY CONFORMS TO		ARE THE FROFERTT OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	4
HE EUROPEAN UNION DIRECTIVES 011/65/EU FOR R₀HS COMPLIANCY.	CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-36W	4224-7NB	ISSUE
	YOUR CONNECTION TO QUALITY & SER	VICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-36W4224-7NB 1		

5W5 Male


5W5 Female



8W8 Male



5.30



WITHOUT WRITTEN PERMISSION.

THIS THE 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25









25W3 Male











13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female

36W4 Female




17W5 Male






2.77








			<u>.</u>		
	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
NFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
I DIRECTIVES COMPLIANCY.			DRAWING NUMBER: 628-36W4224-7NB		ISSUE
SOWI LIANGT.			PART NUMBER: 628-36W	4224-7NB	1









THIS SERIES FULLY CONI THE EUROPEAN UNION D 2011/65/EU FOR RoHS CC