



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-3W3-224-7NC		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-3W3	-224-7NC	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

628-3W3-224-7NC


21W4 Male/Female

47.05 23.63 - 14.49 - 14.49 		33.30 		53.50 31.75 00 0.70 0.50 00 0.70 0.50 00 0.70 0.50 00 0.70 0.50 00 0.70 0.50 00 0.70 0.50 00 0.50 0000000000	ere a	
	11	W1 Male/Female	27W2 Male/Femal	e		
2 8W8	Female 53.50 53.73 72.83 72.87 72.87 72.87 72.87 72.97 72	33.30 18.65 9.70 8.31 9.70		e3.50 31.75 +++++++ ++++++++++++++++++++++++++++		
		W2 Male/Female	21W1 Male/Femal	e		
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.00 23.65 13.86 0 0 0 0 0 0 0 0 0 0 0 0 0		47.05 23.63 4 4 4 4 4 4 4 4 4 4 4 4 4	æ	
		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
	COMBINATIO	COMBINATION D-SUB		DATE: JAN. 01/20	2019	
			CHECKED:	ECKED: DATE:		
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-3W3-224-7NC ISSUE			
2011/03/20 FOR RUNS COWFLIANCT.	YOUR CONNECTION TO QUALITY & SERVICE	MANUEACTURE OR SALE OF APPARATUS		PART NUMBER: 628-3W3-224-7NC 1		

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female



8W8 Male



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25

23.53

14,51

9.70

1 82 7.79






9W4 Male



25W3 Male



47.02

9W4 Female


김 영

13W3 Female

.XX ±0.13 .XXX ±0.05




36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male







43W2 Female

47W1 Female




17W5 Male


COMPLIANT











				SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-3W3	-224-7NC	ISSUE	
			PART NUMBER: 628-3W3	-224-7NC	1	



17W5 Female

