HellermannTyton

Specification Sheet

Part Number: 115-07189



Manufactured from a soft, tear-resistant thermoplastic polyurethane these ties have several unique features: strong, yet elastic, and suitable for temperatures as low as -20 degrees C.

The SOFTFIX ties are releasable and reusable which is ideal for bundling cables in temporary applications such as musical events, theatres etc.

Cable Tie without Serration, 7.0" Long, Flexible TPU, Black, 50/pkg

Article Number 115-07189

Type SRT1807

Color Black (BK)

Quantity Per pcs.

Product Description Soft, flexible material makes these ties particularly suitable for use on

sensitive wires, such as fibre-optic cables. Additionally the ties are suitable for use on moving or and vibrating applications. The double

slotted head allows for parallel bundling.

Short Description Cable Tie without Serration, 7.0" Long, Flexible TPU, Black, 50/pkg

Global Part Name SRT1807-TPU-BK

Minimum Tensile Strength (Metric)	57
Length L (Imperial)	7.0
Length L (Metric)	180
Identification Plate Position	none
Releasable Closure	Yes
Tie Closure	ladder style
Variant	Not Serrated
Width W (Metric)	7.0
Bundle Diameter Min (Metric)	10.0
Bundle Diameter Max (Metric)	45.0
Thickness T (Metric)	1.7
Material	Thermoplastic Polyurethane (TPU)
Material Shortcut	TPU
Flammability	UL 94 HB

Yes

Halogen Free

UV Resistant (Yes/No) No

Operating Temperature -40°F to +185°F (-40°C to +85°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 50

Package Quantity (Metric) 50

Customs Number 3926909988

Weight (Metric) 2.2

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions