—	۵	П	m	D	0







Keying Shown as example

CHARACTERISTICS

ယ

 \sim

-Mass

BASIC SERIES:

SHELL SIZE : 13

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : W = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

2	-Shell Material	: Aluminium		
	-Shell Plating	: Olive drab Cadmium		
	-Insulator	: Thermoplastic		
	-Contacts	: Copper Alloy		
	-Seals & Grommet	: Silicon Elastomer		
	-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum		
	-Durability	: 500 Mating cycles		
	-Delivered with Souriau contacts and Accessories			
	-Temperature Range	-65℃ to +175℃		
	-Salt Spray	: 500 hours		

: 22.11 g ± 10%

8D 0

G

13


W

26

S

F

Dim	Nominal
Р	3.25±0.2
PP	4.93±0.2
R1	23.01
R2	20.62
S	28.6±0.3
V	20.83+0/-1.25
W	2.1/2.5
Z	31.5 Max
/V THREAD	M18x1-6g



0		Ξ		Þ		
						4
LAY	YOUT SHOWN AS EXA	MPLE				3
SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.) $\frac{Country \qquad Jurisdiction \& Control List \\ \hline FR \qquad Not Listed}$ PN: 8D013W26SE						2
First Release						
Latest modificatio	n - by		CUSTOM	IER DRAWING	MOD N°	<u> </u>
Aluminium Receptacle 8D series						
$ \Rightarrow $	General linear Tolerances: ±		NPRD	S / PROJECT 859		1
WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission						
SOURIAU DRG N° 8D013W26SE-C					SHEET	
С		B		A		J

	T	۵	г	п	D	0	
		Contact Layout				Ра	inel Cutou
		26				SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING	
4	(
		2#12 6#22D			W		
	Ctc	13-26 X Y			<u> </u>		<u>\T</u>
	A	0 3.47					
	B	2.47 4.34 2.47 -4.34				Dim	
ω	D	0 -3.47				ØA ØAA	
	E F	-2.47 -4.34 -2.47 4.34				R1 ØT	
	1	3.25 0					
	2	-3.25 0					
						SOURIAU shall not be liab due to a use of the Pro the Specifications issued by (professional reco	oducts wh y either of
N						PN: 80	FR
					A 16-10-20	16 First Release	
					ISS DATE Designed By:	Latest modification - by Date:	
					TITLE	Alur	minium
<u> </u>					SCALE NA		ral linear rances: ±
					SOURIAU	U WWW.SOUR	RIAU.C
					FORMAT A3		IRIAU D13W
	Н	G	F	E	D	C	1212
					V		

