

# Han 3A RJ45 10G Cat6 plug insert, 8p IDC



	Part number	09 45 100 1560
	Specification	Han 3A RJ45 10G Cat6 plug insert, 8p IDC
	HARTING eCatalogue	https://b2b.harting.com/09451001560

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	Connectors	
Series	RJ45	
Element	Cable connector	
Specification	RJ45	
Version		
Termination method	IDC termination	
Size	Han <sup>®</sup> 3 A	
Shielding	Fully shielded, 360° shielding contact	
Number of contacts	8	
Pack contents	Connector insert	

### **Technical characteristics**

Conductor cross-section	0.1 0.32 mm² Stranded 0.22 0.32 mm² Solid
Conductor cross-section	AWG 27 AWG 22 Stranded AWG 24 AWG 22 Solid
Wire outer diameter	1.6 mm
Transmission characteristics	Cat. 6 Class E <sub>A</sub> up to 500 MHz
Data rate	10 Mbit/s 100 Mbit/s 1 Gbit/s 2.5 Gbit/s 5 Gbit/s 10 Gbit/s

Page 1 / 2 | Creation date 2021-10-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com



#### Technical characteristics

Limiting temperature	-40 +70 °C
Cable diameter	6.5 9.5 mm

#### Material properties

RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	No
California Proposition 65 substances	Yes
	Nickel
California Proposition 65 substances	Lead
	Antimony trioxide

## Specifications and approvals

Approvals	DNV GL	
UL / CSA	UL 1977 ECBT2.E102079 CSA-C22.2 No. 182.3 ECBT8.E102079	
PROFINET	Yes	
Commercial data		
Packaging size	1	
Net weight	41.5 g	

Country of origin	Romania
European customs tariff number	85366990
eCl@ss	27440205 Contact insert for industrial connectors

Page 2 / 2 | Creation date 2021-10-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com