




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)







MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-2WK2224-4T3		ISSUE
			PART NUMBER: 627-2WK	2224-4T3	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female




W2 Male/Female



V1 Male/Female




		11W1	Male/Female		27W2
23.63 14.48 0 00 0 00 0 00 0 00 0 00 0 00 0 00 0	8W8 Female				187 197
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA	17W2	2 Male/Female		21W1
		COMBINATION D-SUB			RENCE
					C.B
				CHECKED):
FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	N.T.S
EAN UNION DIRECTIVES OR RoHS COMPLIANCY.		TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING) NUMBE
	YOUR CONNECTIO	N TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS		MBER:




5W5 Male


5W5 Female



47.05

8W8 Male





WITHOUT WRITTEN PERMISSION.



THIS SERIES F THE EUROPEA 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male



25W3 Male




47.02 23.53 14.51 9.70 7.79 김 영

25W3 Female

36W4 Female



13W3 Male






20.70 30.50 13.72 16.62 김 의




30.50 20.70 16,62 13.72 15.24 \$.74 2.77

13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female


47W1 Female




17W5 Male



47W1 Male





22,15 2.77

	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
NFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
DIRECTIVES OMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-2WK2224-4T3		ISSUE
			PART NUMBER: 627-2Wł	<2224-4T3	1



THIS SERIES FULLY CONF THE EUROPEAN UNION DI 2011/65/EU FOR RoHS COI