
Ŧ	۵	п –	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

BASIC SERIES:

SHELL SIZE : 11

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Aluminium : Nickel -Shell Plating -Insulator : Thermoplastic -Contacts : Copper Alloy : Silicon Elastomer -Seals & Grommet -Contact Plating : Gold over copper Alloy 0.8µm minimum -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories : -65°C to +200°C -Temperature Range -Salt Spray : 48 hours -Mass : 14.89 g ± 10%

8D 0

G

11

F

04

S

F

А

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		

ORIENTATION : A


D

CONTACT LAYOUT : 11-04

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



Φ	Þ					
		4				
AS EXAMPLE		3				
any non-conform which does not c of the Parties or adation, technical	omply with by a third party					
Intry Juris R	Jurisdiction & Control List Not Listed					
1F04SA	F04SA					
	CUSTOMER DRAWING					
um Receptacle 8D series						
ar	NPRDS / PROJECT 859	1				
COM This document is the property of SOURIAU it must not be reproduced or communicated without permission						
U DRG N° F04SA-C	SHEET 1/2					
<u>-FU43A-C</u> B	A	J				

r	т	G	н г	m		0	
		Contact Layout					Panel Cutou
4	-x_	$ \begin{array}{c} $			Ā	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING	
	Contri positi ID A B B C D Shell Arrangement Num size no. cont	X-axis Y-axis (mm) +0.05 (1.65) .065 (1.65) +0.05 (1.65) .065 (1.65) -0.05 (1.65) .065 (1.65) -0.05 (1.65) .065 (1.65) -0.05 (1.65) .065 (1.65) ber of Size Service Contact Supersedes acts contacts rating location Supersedes			* 27		
ω	11 -4 4	4 20 I All MS20050-4	J			Dir ØA ØA R1 ØT	A A
	-						
4						SOURIAU shall not be due to a use of the the Specifications issued (professional re	Products wh d by either of
N							Countr FR 8D011
					A 14-10-2	2016 First Release	800111
					ISS DAT Designed By:	E Latest modification - by Date:	
					TITLE	A	luminium
_					SCALE NA		eneral linear olerances: ±
					SOURIA	WWW.SOU	JRIAU.C
					FORMAT A3		URIAU D011F(
L	Н	G	F	E	D	C	

