I	т <u>Ω</u> Т	m		0	Φ	Þ	_
4	Z Description of the second s						4
ω				LAYOUT SHOWN AS E	XAMPLE		3
	Keying Sho	own as example					
	CHARACTERISTICS	Connector dimension					
$ \longrightarrow $		Dim Nominal ØS 25 Max					
2	-Shell Material: Aluminium-Shell Plating: Nickel-Insulator: Thermoplastic-Contacts: Copper Alloy-Seals & Grommet: Silicon Elastomer-Contact Plating: Gold over copper Alloy 0.8μm minimum	Z 31 Max VV THREAD M15x1-6g		SOURIAU shall not be liable for an due to a use of the Products wh the Specifications issued by either o (professional recommendation) Countries	nich does not comply wit f the Parties or by a third tion, technical notice.)	h I party Control List	2
	-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories						
	-Temperature Range -65°C to +200°C		A 15-10-2016	First Release			
	-Salt Spray : 48 hours -Mass : 14.83 g ± 10%		ISS DATE	Latest modification - by		MOD N	1°
	-INIG22 . 14.02 Å T 10/0		Designed By:	Date:	CUSTO	DMER DRAWING	-
		TITLE	Aluminium Plug 8D series				
_	BASIC SERIES: 8D 5 - 11 F 05 A D SHELL TYPE : Plug with RFI Shielding		SCALE -{	General linear Tolerances: ±		RDS / PROJECT 859	1
	CONTACT TYPE : Standard Crimp Contact ORIENTATI			SOURIAU WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission			
	SHELL SIZE : 11 CONTACT TYPE : PIN(500 Matings) PLATING : F = Nickel CONTACT LAYOUT : 11-05		FORMAT	SOURIAU		SHEET	
			A3	8D511F		1/2	
				000111		1 '	

-	Ŧ	۵	н т	m		0	
		Contact Layout					
4	-x	$ \begin{array}{c} & & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ $					
	Conta positio ID A B C C D E Shell Arrangement Numb size no. conta	+.065 (1.65) +.056 (1.42) +.113 (2.87) 065 (1.65) +.000 (0.00) 130 (3.30) 113 (2.87) 065 (1.65) 065 (1.65) +.056 (1.42)					
ω	11 -5 5						
	F					SOURIAU shall not be liable f due to a use of the Produc the Specifications issued by eit (professional recomm	cts w her c
N						PN: 8D5	Count FR 11
					A 15-10-20 ISS DATE Designed By:	116 First Release	
_					TITLE SCALE NA	Alu General lir Tolerance ±	near
					SOURIA		U.(
					FORMAT A3	SOURI 8D51	
L	Н	G	F	E	D	C	

