



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



**ISSUE NUMBER** ORIGINAL

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2WK2624-2TB		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-2WK	2624-2TB	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




	11W	1 Male/Female	
8W8 Fem	ale		
47.06 - 23.63 - 14.48 - 14.48 - 93.29 			
	17W2	2 Male/Female	
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	27 77	47.05 23.63 - 23.63 - 25.63 - 25.63	
			, L
	COMBINATION	I D-SUB	[
			(
RIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	ç
ROPEAN UNION DIRECTIVES EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	[
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	F


	SW REFERENCE NO.: 628 C	OMBO ASSEMBLY	
	DRAWN: C.B	DATE: JAN. 01/2019	9
CHECKED:		DATE:	
PECIFICATIONS	SCALE: N.T.S	SHEET 3 OF	4
ICED,OR COPIED FOR THE OF APPARATUS MISSION.	DRAWING NUMBER: 628-2WK	628-2WK2624-2TB	
	PART NUMBER: 628-2WK	2624-2TB	1


5W5 Male

5W5 Female



8W8 Male





4 4 1 4 (4 1 4 - 1 - 15



THIS SERI THE EURO 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male




25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female




13W3 Male



36W4 Male

20.70 30.50 13.72 16.62 김 의





13W6 Male




43W2 Male






17W5 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-2WK2624-2TB		ISSUE
			PART NUMBER: 628-2WK	2624-2TB	1





.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female

