# 1SNK900603R0000 - ACTIVE

### ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK900603R0000 Terminal Block & Strip Conducting Accessories, Cross Spacing Jumper, 3 Pole, Orange, Product Spacing .315 in [8 mm], ENTRELEC SNK

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: Cross Spacing Jumper Number of Poles: 3 PCB Mount Retention Type: Screwless Primary Product Color: Orange

Product Spacing: 8 mm [.315 in ]

## Features

## Product Type Features

Conducting Accessory Type

Cross Spacing Jumper

### **Configuration Features**

Number of Poles
-----------------

#### 3

## **Electrical Characteristics**

Operating Voltage Rating (UL & CSA) (Max) - Main Circuit	600 V
Impulse Withstanding Voltage Rating (IEC)	8000 V
Voltage Rating (CSA)	600 V
Current Rating (CSA)	30 A
Short-Time Withstanding Current Rating @ 1s	480 A
Power Loss	.1 W
Dielectric Withstanding Voltage (Max)	2200 V
Voltage Rating (IEC)	1000 V
Current Rating (UL)	30 A
Current Rating (IEC)	32 A
Body Features	
Plastic & Resin Material Type	Polyamide
Product Weight	2.8 g[.099 oz]

Terminal Block & Strip Conducting Accessories, Cross Spacing Jumper, 3 Pole, Orange, Product Spacing .315 in [8 mm], ENTRELEC SNK



Primary Product Color	Orange
Contact Features	
Contact Current Rating (Max)	32 A
Mechanical Attachment	
PCB Mount Retention Type	Screwless
Dimensions	
Product Depth	42.5 mm[1.673 in]
Product Width	8 mm[.315 in]
Product Height	27.8 mm[1.094 in]
Product Spacing	8 mm[.315 in]
Usage Conditions	
Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Industry Standards	
IP Rating	IP20

# Product Compliance

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

Terminal Block & Strip Conducting Accessories, Cross Spacing Jumper, 3 Pole, Orange, Product Spacing .315 in [8 mm], ENTRELEC SNK



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




Terminal Block & Strip Conducting Accessories, Cross Spacing Jumper, 3 Pole, Orange, Product Spacing .315 in [8 mm], ENTRELEC SNK





# Also in the Series | ENTRELEC SNK



# Customers Also Bought





Terminal Block & Strip Conducting Accessories, Cross Spacing Jumper, 3 Pole, Orange, Product Spacing .315 in [8 mm], ENTRELEC SNK



## Documents

CAD Files 3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK900603R0000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK900603R0000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK900603R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ENTRELEC Terminal Block - Master Catalog

**ENTRELEC Terminal Block - Master Catalog** 

English

JB85-3

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)