



SS Stainless Steel

3 Type

- A Without bore
- C With plain blind bore, tol. H7
- D With tapped through bore
- E With tapped blind bore

Specification



- Stainless steel
- European Standard No. 1.4305, A1 (AISI 303)
- Matte shot-blasted finish —
- Highly polished finish **PL**
- (only available in Type D, E in metric sizes)
- **RoHS compliant**

Information

GN 5335 star knobs are manufactured from solid stainless steel bar stock.

These decorative star knobs were primarily manufactured for the food processing machinery industry and yet, there are numerous other fastening or clamping applications in non-corrosive environments that these knobs can be used for.

see also...

- *Triangular Knobs GN 5339.5 (Stainless Steel)*
- *Star Knobs GN 5334 (Stainless Steel)*
- *Wing Nuts GN 834 (Stainless Steel)*
- *Star Knobs DIN 6336 (Stainless Steel)*
- *Hand Knobs DIN 6335 (Stainless Steel)*
- *Three-Lobed Knobs GN 5345 (Stainless Steel)*

On request

- Special inch and metric bores or threads
- Other modifications such as cross holes and set screw holes

How to order (Without bore) GN 5335-60-A	1	Handle diameter d_1
	3	Type

How to order (Inch) GN 5335-50-B3/8-C	1	Handle diameter d_1
	2	Bore d_3 (Thread d_2)
	3	Type

How to order (Metric) GN 5335-40-M8-E-PL	1	Handle diameter d_1
	2	Thread d_2 (Bore d_3)
	3	Type
	4	Finish

Inch table

Dimensions in: inches - *millimeters*

d₁	d₂ Thread Type D / Type E	d₃ +0.001 Bore Type C	d₄	h₁	h₂	t₁ min.	t₂
1.57 40	1/4 x 20	-	.71 18	1.20 30.5	.59 15	.47 12	.51 13
1.57 40	5/16 x 18	B 5/16	.71 18	1.20 30.5	.59 15	.59 15	.51 13
1.97 50	5/16 x 18	-	.83 21	1.34 34	.67 17	.59 15	.63 16
1.97 50	3/8 x 16	B 3/8	.83 21	1.34 34	.67 17	.71 18	.63 16
2.36 60	3/8 x 16	-	.98 25	1.54 39	.71 18	.71 18	.79 20
2.36 60	1/2 x 13	B 1/2	.98 25	1.54 39	.71 18	.87 22	.79 20

Metric table

Dimensions in: millimeters - *inches*

d₁	d₂ Thread Type D / Type E	d₃ H7 Bore Type C	d₄	h₁	h₂	t₁ min.	t₂
40 1.57	M 6	-	18 .71	30.5 1.20	15 .59	12 .47	13 .51
40 1.57	M 8	B 8	18 .71	30.5 1.20	15 .59	15 .59	13 .51
50 1.97	M 8	-	21 .83	34 1.34	17 .67	15 .59	16 .63
50 1.97	M 10	B 10	21 .83	34 1.34	17 .67	18 .71	16 .63
60 2.36	M 10	-	25 .98	39 1.54	18 .71	18 .71	20 .79
60 2.36	M 12	B 12	25 .98	39 1.54	18 .71	22 .87	20 .79