



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)








MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	EDAG INC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-25W3624-1NB		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-25W	3624-1NB	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

8W8 Male

3.30

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female

47.05 23.53 - 14.49 - 14.49 - 14.49 - 98 -	53.50 51.75 22.87 22.87 22.83 0 0 0 0 0 0 0 0 0 0 0 0 0	33.30 35.30 19.85 19.57 19.85 19		53.50 31.75 8 + 0.70 + 0.90 + + + + + + + + + + + + + + + + + + +	
		11W1 Male/Female	27W2 Male/Female	<u>5</u>	
	8W8 Female	33.30 16.65 9.70 8.31 9.70 9.70 8.31 9.70 9.70 8.31 9.70 9.70 8.31 9.70		53.50 31.75 15.24 + + + + + + + + + + + + + + + + + + +	
		17W2 Male/Female	21W1 Male/Female	e	
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA	47.05 23.03 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 15		47.05 23.03 23.04 23.05 25.05	28
		COMBINATION D-SUB		OMBO ASSEMBLY	
	COMBINA			DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES		ITARIO SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER: 628-25W3	3624-1NB	ISSUE

2011/65/EU FOR RoHS COMPLIANCY.




CANADA

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

SW REFERENCE NO.: 628	COMBO ASSEMBLY
DRAWN: C.B	DATE: JAN. 01/2019
CHECKED:	DATE:
SCALE: N.T.S	SHEET 3 OF 4
DRAWING NUMBER: 628-25	W3624-1NB ISSUE
PART NUMBER: 628-25	W3624-1NB 1

5W5 Female

COMPLIANT



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male




25W3 Male





36W4 Female




13W3 Male






51.00 30.50 13.72 16.52 15.24 15



30.50 16.62 15.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.72 16.24 15.74 16.24 15.74 16

13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT



47W1 Male







				SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-25W3624-1NB		ISSUE	
			PART NUMBER: 628-25W	3624-1NB	1	