

Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

	Product identifier Product Name	S1255-04 Adhesive	
	Other Means of Identification Product type	None Article with substance/mixture as integral part	
I	Recommended use and restrictions Identified Use(s) Uses Advised Against	Adhesive Tape None known.	
ر ٦ ٩	Details of the supplier of the safety data sheet Address of Supplier Telephone Fax E-Mail (competent person)	Tyco Electronics UK Ltd Faraday Road, Dorcan, Swindon, Wiltshire, SN3 5HH, United Kingdom +44 (0) 1793 52 81 71 (Head Office) Monday - Friday 08:00 - 17:00 (GMT) +44 1793 57 2516 msdsmaterialsuk@te.com	
E	Emergency telephone number Emergency Phone No. Languages spoken	+44 1793 528171 GMT (Monday to Friday 08:00 - 17:00) English	
SECTIO	N 2: HAZARDS IDENTIFICATION		
	Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200	This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements. Since this materia has no intended release of a substance or mixture and will not result in exposure to a hazardous chemical under normal conditions of use, no hazard classification or Safety Data Sheet is required. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.	
	Physical hazards Health hazards	Not applicable. Not applicable.	
F C F F C	Label elements Product Name Contains: Hazard Symbol Signal Word(s) Hazard Statement(s) Precautionary Statement(s) Other hazards	S1255-04 Adhesive Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Product type: Article with substance/mixture as integral part. Molten material can cause severe burns. Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Heating can generate vapours that could cause headaches, nausea, dizziness, and respiratory irritation if inhaled.	
	Environmental hazards	Toxic to aquatic life with long lasting effects.	
	Percent of the mixture consists of ingredient(s) of unknown acute toxicity:	Not applicable.	



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not applicable

Mixtures Substances in preparations / mixtures.

As the product is an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, no components need to be listed within section 3 of the SDS as the requirements of SDS regulation do not apply. This product does not contain any known "substances of very high concern" (SVHC's).

SECTION 4: FIRST AID MEASURES

Description of first aid measures



No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact.
If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. If on skin immerse in cool water/wrap with wet bandages. Get immediate medical attention.
Remove contact lenses, if present and easy to do. Continue rinsing. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. If irritation develops and persists, get medical attention.
Give plenty of water to drink. Get medical advice/attention if you feel unwell.
None anticipated.
Molten material can cause severe burns.
Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. Heating can generate vapors that could cause headaches, nausea, dizziness, and respiratory irritation if inhaled.
Treat symptomatically. No antidotes known.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media Suitable Extinguishing media

up

Unsuitable extinguishing media Special hazards arising from the substance or mixture Advice for fire-fighters

Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Water spray, foam, dry powder or CO2.

Do not use water jet. Direct water jet may spread the fire.

May give off noxious and toxic fumes in a fire. Combustion products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact.

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into soil must be alerted to the appropriate regulatory body.

Methods and material for containment and cleaning Contain spillages. Allow product to cool/solidify and pick up as a solid. Recover the product where possible. Ventilate the area and wash spill site after material pick-up is complete. Wet clean or vacuum up solids. Use appropriate container to avoid environmental contamination.



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

Precautions for safe handling	Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash clothing before reuse.
Conditions for safe storage, including any	Keep only in original packaging. Keep in a well-ventilated place. Keep container
incompatibilities	closed.
Storage temperature	Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Recommended: 23 $^{\circ}\text{C}$
Storage life	Stable at ambient temperatures.
Incompatible materials	Keep away from oxidising substances. Avoid contact with acids and alkalis.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Occupational Exposure Limits

SECTION 7: HANDLING AND STORAGE

Substance	CAS No.	ppm ¹	mg/m ^{3 1}	mppcf ^a	Skin designation	Notes	Source
	1333-86-4	-	3.5	-	-	-	NIOSH
Carbon Black		-	3.5	-	-	-	OSHA (Z-1)
		-	3.0	-	-	TLV Basis: Bronchitis	ACGIH, A3
Silica, amorphous	7631-86-9	-	6.0	-	-	-	NIOSH
Silica, amorphous		-	-	20.0	-	[(80 g/m3)/%SiO2]	OSHA (Z-3)

Source:

OSHA Permissible Exposure Limit (PEL): Occupational Safety and Health Standards, 1910.1000 TABLE Z-1; 1910.1000 TABLE Z-3 NIOSH: National Institute for Occupational Safety and Health (NIOSH) Recommended exposure limits (RELs) ACGIH: American Conference of Governmental Industrial Hygienists - Threshold limit values (TLV) 2017

Note:

¹: The PELs, RELs and TLVs are 8-hour TWAs (time-weighted average) ^a Millions of particles per cubic foot of air A3: Confirmed animal carcinogen with unknown relevance to humans.

Biological limit value	Not established.
Exposure controls	
Appropriate engineering controls	Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from fire, sparks and heated surfaces.
Personal protection equipment	Use personal protective equipment as required. Take care for general good hygiene and housekeeping. Avoid inhalation of vapours that may be evolved at elevated temperatures.
Eye/ face protection	Wear eye protection with side protection (Recommended / Similar with: EN166). Eyewash bottles should be available.





Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

Skin protection (Hand protection/ Other)



Hand protection

Tape

1.2

Odourless

Not determined

Not determined

Not determined

Water: Insoluble

Not determined

Not oxidising

Not applicable (Article)

Not applicable (Article)

Not applicable (Article

Not applicable (Article)

Not applicable (Article) Not explosive

Insulating gloves; Recommended / Similar with: EN 407 (heat). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection. Recommended: A self-contained breathing apparatus may be appropriate.

Respiratory protection



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance Odour Odour threshold pН Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (mPa. s) Explosive properties Oxidising properties

Other information

Density Explosive properties Oxidising properties 1280 kg/m³ Not explosive Not oxidising

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition product(s) Stable under normal conditions. Stable under normal conditions. Hazardous polymerisation will not occur. Avoid prolonged storage at elevated temperature. Keep away from oxidising substances. Avoid contact with acids and alkalis. Combustion products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen. Decomposition products may include toxic and irritant fumes.



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements .

Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met.
Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met.
Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met.
Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
Carcinogenicity	Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Based upon the available data, the classification criteria are not met.
STOT - single exposure	Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
Aspiration hazard	Based upon the available data, the classification criteria are not met.
Information on likely routes of exposure	
Inhalation	Unlikely – accidental exposure
Ingestion	Unlikely – accidental exposure
Skin Contact	Possible – accidental exposure
Eye Contact	Unlikely – accidental exposure
Early onset symptoms related to exposure	Product type: Article with substance/mixture as integral part. Molten material can cause severe burns.
	Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin
	reaction.
Delayed health effects from exposure	Not applicable.
Other information	
NTP Report on Carcinogens	Not applicable (Article)
IARC Monographs	Not applicable (Article)
OSHA Designated Carcinogen	Not applicable (Article)
NIOSH Occupational Carcinogen List	Not applicable (Article)

SECTION 12: ECOLOGICAL INFORMATION

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements . Ecotoxicity Contains environmentally dangerous component(s) which cannot be released in

Persistence and degradability Bioaccumulative potential Mobility in soil Results of PBT and VPVB assessment

Other adverse effects

Contains environmentally dangerous component(s) which cannot be released in normal conditions of use. No information available. Not applicable (Article) Not applicable (Article) None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance. No information available



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of this material and its container as hazardous waste. Send after pretreatment to a appropriate hazardous waste incinerator facility according to legislation. Dispose of contents in accordance with local, state or national legislation. Dispose of wastes in an approved waste disposal facility. Recover or recycle if possible.

SECTION 14: TRANSPORT INFORMATION

UN number UN proper shipping name Transport hazard class(es) Hazard Identification Number Classification code Packing group Environmental hazards Special precautions for user	Road/Rail (ADR/RID) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	Sea transport (IMDG) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	Air (ICAO/IATA) Not applicable. Not applicable. Not applicable. Not applicable.
Limited Quantities Excepted Quantities	Not applicable. Not applicable.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.		
Additional Information	None known		

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations TSCA Inventory	Not applicable.
TSCA Inventory Notification (Active-Inactive) Rule	Not applicable.
TSCA Chemical Data Reporting (CDR) Rule	Not applicable.
US State Regulations Proposition 65 (California)	Not applicable.
EU regulations Volatile Organic Compound Content (%):	0.0%



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1255-04 Adhesive

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable - V1.0

Version	24-AUG-2018
Revision Date	24-August-2018
Date Previous Issue:	Not Applicable

References:

Existing Safety Data Sheet (SDS).

Hazard classification: This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

LEGEND

ADR/RID	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID: Regulations concerning the international railway transport of dangerous goods
CAS	CAS: Chemical Abstracts Service
EU	European Union
IATA	IATA: International Air Transport Association
ICAO/IATA	ICAO: International Civil Aviation Organization / IATA: International Air Transport Association
IMDG	IMDG: International Maritime Dangerous Goods
PBT	PBT: Persistent, Bioaccumulative and Toxic
UN	United Nations
vPvB	vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tyco Electronics UK Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tyco Electronics UK Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.