



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER ORIGINAL

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

SW REFERENCE NO .: 627 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 EDAC INC ARE THE PROPERTY OF EDAC INC. AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 627-17W2222-5T2 ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 627-17W2222-5T2 WITHOUT WRITTEN PERMISSION.



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3



7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female




21W1 Male/Female

16.52


5W5 Female	8W	8 Female	33.30
¢	47.06 23.63 14.49 14		
			17W2 Male/Female
	CURRENT RATING / Ø/ 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	Ą	47.00 23.65 13.85 0 0 0 0 0 0 0 0 0 0 0 0 0
		COMBINA	TION D-SUB
	IS SERIES FULLY CONFORMS TO E EUROPEAN UNION DIRECTIVES 11/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONT YOUR CONNECTION TO QUALITY & SERV	OR USED AS THE BASIS FOR THE







SW REFERENCE NO.: 627 COMBO ASSEMBLY				
DRAWN: C.B	DATE: JAN. 01/2019			
CHECKED:	DATE:			
SCALE: N.T.S	SHEET 3 OF	4		
DRAWING NUMBER: 627-17W2	GNUMBER: 627-17W2222-5T2			
PART NUMBER: 627-17W2	1			

5W5 Male



8W8 Male





11W1 Male/Female



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25









25W3 Male






25W3 Female


36W4 Female




13W3 Male



36W4 Male



47.06 23.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 14.63 9.70 9



13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female







47W1 Female



17W5 Male










17W5 Female





	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
CONFORMS TO	EDAC INC TORONTO, ONTARIO YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
NON DIRECTIVES HS COMPLIANCY.			DRAWING NUMBER: 627-17W2222-5T2		ISSUE
HS COMPLIANCE.			PART NUMBER: 627-17W	2222-5T2	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.