







MACHINE SCREW #8-32  
SUPPLIED BY CUSTOMER  
(2 REQUIRED)



CONNECTOR IS ALLOWED  
TO "LEAN" 6° IN EITHER DIRECTION  
(AS SHOWN)



NOTE:

1. MATERIALS:  
TERMINALS: HIGH CONDUCTIVITY COPPER ALLOY  
PLATING: GOLD PLATED IN CONTACT AREA  
HOUSING: RoHS COMPLIANT 94V-0 THERMOPLASTIC
2. MEETS MOLEX PRODUCT SPEC. PS-45711-001.
3. PACKAGED PER MOLEX PACKAGING SPEC. PK-45711-000.

<b>MOD DIMENSIONS</b> IEC NO: UCP2014-3732 DRAWN BY: SZCZOR 2014/03/11 CHKD: APPR: RAPEL	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0	4 PLACES ± mm ± INCH 3 PLACES ± --- ± --- 2 PLACES ± 0.25 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± 1°	MM ONLY	2:1	METRIC	
	DRAWN BY: SBB CHECKED BY: B. KOSTIC APPROVED BY:	DATE: 11/19/04 DATE: 03/17/06 DATE:	MATERIAL NO. <b>45711-1000</b>	TITLE <b>BUS BAR CONN ASSY VERTICAL MOUNT</b>	DOCUMENT NO. <b>SD-45711-100</b>	SHEET NO. <b>1 OF 1</b>
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MOLEX INCORPORATED			