


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







ORIGINAL

(1)






NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Female

COMPLIANT

3W3 / 3WK3

5W1 Male/Female





21W4 Male/Female



e/Female



e/Female


16.62


			138 138 138 138 138 138 138 138		
		11W1	Male/Female		27W2 Male/
47.05 - 23.03 - 14.48 - 14.48 - 90 - 92 -	8W8 Female 53.50 53.50 22.83 22.97 40		33.30 10.65 9.70 8.31 9.70 8.31 9.70 8.31 9.70		
10	+	17W2	Male/Female		21W1 Male/
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ØA	244 12,12	47.00 23.65 - 0.51 - 0.51 - 0.70 - 0.50 -		7
				SW REFE	RENCE NO.:
	COMBINATION D-SUB		DRAWN:	C.B	
				CHECKED):
ERIES FULLY CONFORMS TO	EDAC		THESE DRAWINGS AND SPECIFICATIONS	SCALE:	N.T.S


THIS SERIES FULLY CONFORMS TO

THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20)19		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-17W2622-3T1		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-17W	/2622-3T1	1	









7W2 Male/Female

8W8 Male



5W5 Male



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male

23.53 14 84 a 70 월 명


25W3 Male




47.02 23.53 14.51 9.70 7.79 김 영

25W3 Female


36W4 Female




13W3 Male




36W4 Male








13W6 Male



43W2 Male






.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT



47W1 Male





22,15 20.7

2.77

				SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B		DATE: JAN. 01/20)19	
			CHECKED:		DATE:		
EDAC INC	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S		SHEET 4 OF	4	
	TORONTO, ONTARIO CANADA O QUALITY & SERVICE		DRAWING NUMBER: 628-17W2622-3T1		ISSUE		
YOUR CONNECTION			PART NUMBER:	628-17W2	2622-3T1	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



17W5 Female