Mounting C	Option	Contact Detail	THIS IS A C A D. GENERATED DRAWING	ISSUE NUMBER	
In-Line Card	l Guides	Wire Hole .089x.014(2.29x0.36) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MAST	TER. ORIGINAL	<u> </u>
0.500[12.70]	0.156[3.96]	5.936[150.77] —6.082[154.48] —6.368[161.75]		SECTION A-A	
A				.175 [4.45] Point of Contact	
0.473[12.01]			to .0	d Slot Accepts .054 [1.37] 070 [1.78] Thick P.C. Board ACAD REFERENCE NO. 307 ENG N	

See Accompanying Pages for:
Contact Bend Details

- **Mounting Options**

Part Number: 307-037-401-178



EDAC INC TORONTO, ONTARIO CANADA

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER	
DRAWN: J.LEE	DATE: AUG. 11/09	
CHECKED:	DATE:	
SCALE: NTS	SHEET 1 OF 3	
DRAWING NUMBER	ISSUE	
307 Assembly	1	



