

## Product Change Notification

### PCN-IFC-4532-2019

Business Unit	Product Line Code	Type of Change	Action	Date of Issue
IFC - Industrial Field Connectivity	BF7	Product Change Notification	Notify Distributors and Field	11/18/2019

*The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.*

#### Description for Product Change Notification

It has been normal practice to designate voltage information and pollution degrees for HEAVYCON industrial connectors so they could be used in a connector housing with protection class IP54 or higher in accordance with connector standard IEC 61984. In preparation for the new products that will be available in the market soon, we are now making the relevant information more precise.

To assist customers as they design their systems for varying specific use cases, the electrical data of the listed products now contain voltage values for two different pollution degrees (II and III).

#### Stock Status

Can existing stock still be used?	Yes
Is mixture of stock acceptable?	Yes

#### Transaction Dates

Date modification goes into effect from Germany:	11/1/2019
Expected first shipment (from Phoenix Contact) of the modified products(s):	11/1/2019

*Should you have any issues with the timeline or content of this product change, please contact Phoenix Contact using the information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however, that the failure to acknowledge receipt does not affect the product change or the effective date thereof.*

**Contact Info:**

Dean W Smith  
dwsmith@phoenixcontact.com

Thank you,

---

Nathan Owens

Product Marketing Manager - IFC



Phoenix Contact Inc.  
P.O. BOX 4100  
Harrisburg, PA 17111-0100  
Phone: 717-944-1300  
Fax: 717-944-1625

## Product Change Notification

Part #	Type Description
1417387	HC-M-02-AT-F-10
1417296	HC-M-02-AT-F-16
1417389	HC-M-02-AT-M-10
1417297	HC-M-02-AT-M-16
1414361	HC-M-02-CT-F
1414360	HC-M-02-CT-M
1414365	HC-M-03/04-CT-F
1414364	HC-M-03/04-CT-M
1414359	HC-M-03-CT-F
1414358	HC-M-03-CT-M
1414363	HC-M-04-CT-F
1414362	HC-M-04-CT-M
1414369	HC-M-06P-CT-F
1414368	HC-M-06P-CT-M
1414371	HC-M-08-CT-F
1414370	HC-M-08-CT-M
1414375	HC-M-25-CT-F
1414374	HC-M-25-CT-M

### HEAVYCON IEC Voltage Updates

Item	Type	Revision		eCl@ss 9.0	IEC Rated Voltage (Category/Pollution Degree)		UL Rated Voltage
		old	new		(III/3)	(III/2)	
1417387	HC-M-02-AT-F-10	2	3	27440217	690V	1000V	600V
1417296	HC-M-02-AT-F-16	1	2	27440217	690V	1000V	600V
1417389	HC-M-02-AT-M-10	1	2	27440217	690V	1000V	600V
1417297	HC-M-02-AT-M-16	1	2	27440217	690V	1000V	600V
1414361	HC-M-02-CT-F	2	3	27440217	830V	1000V	600V
1414360	HC-M-02-CT-M	1	2	27440217	830V	1000V	600V
1414365	HC-M-03/04-CT-F	1	2	27440217	500V	830V	600V
1414364	HC-M-03/04-CT-M	1	2	27440217	500V	830V	600V
1414359	HC-M-03-CT-F	2	3	27440217	500V	830V	600V
1414358	HC-M-03-CT-M	1	2	27440217	500V	830V	600V
1414363	HC-M-04-CT-F	1	2	27440217	690V	1000V	600V
1414362	HC-M-04-CT-M	1	2	27440217	690V	1000V	600V
1414369	HC-M-06P-CT-F	2	3	27440217	500V	830V	600V
1414368	HC-M-06P-CT-M	2	3	27440217	500V	830V	600V
1414371	HC-M-08-CT-F	1	2	27440217	320V	500V	600V
1414370	HC-M-08-CT-M	1	2	27440217	320V	500V	600V
1414375	HC-M-25-CT-F	1	2	27440217	30V	60V	50V
1414374	HC-M-25-CT-M	1	2	27440217	30V	60V	50V