<u>Contact Dimensions:</u>
525-P.C. Tail .018 Sq.(0.46 Sq.) - Tail LG=.150(3.81)
.100 (2.54) Contact Spacing x .200 (5.08) Row Spacing 1 $-2x \emptyset.156[3.96]$ CARD SLOT ACCEPTS .054" [1.37] TO .070"[1.78] THICK PCB 5.400 137.16 5.560 141.22 5.875 149.23 .160[4.06] POINT OF CONTACT CARD SLOT 330 [8.38]

INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0

600 [15.24] 250 [6.35]

> CONTACT MATERIAL; COPPER TIN ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

3	/395 SERIES CARD EDGE CONNECTO	R
Ρ	RT NUMBER: 345-053-525-488	

YOUR CONNECTION TO QUALITY & SERVICE

-6.135[155.83]

ACAD REFERENCE NO	. 345-ENC	G-MASTER
DRAWN: R.STA.MONICA	DATE: MA	Y.16/2017
CHECKED:	DATE:	
SCALE: 1:1	SHEET 1	OF 2
DRAWING NUMBER		ISSUE
345-ENG-MASTER		1

SECTION A-A





Contact Code 555

Contact Code 556





Contact Code 558

Contact Code 559

Contact Code 560

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY

CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

.060

.150

YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO	. 345-ENG-MASTER
S	DRAWN: R.STA.MONICA	DATE:MAY.16/2017
	CHECKED:	DATE:
,	SCALE: 1:1	SHEET 2 OF 2
ED	DRAWING NUMBER	ISSUE

345-ENG-MASTER