ABSOLUTION CONNECTING ELECTRONICS INDUSTRIES® INCONNECTING International and Pa	IPC, Bannock	burn, Illinois. A	ll rights reserved ur ntions.	nder both	This docume level parts, t	ent is a decla	ration of the	substances ses all lowe	within the n er level mater	nanufacture rials for whi	r listed ite ich the ma	m. Note: i nufacturer	f the item is an as r has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Information															
Company name*	Company uni	Company unique ID			Unique ID Authority					Response Date*					
onsemi									2023-06-08						
Contact Name Ti			Title - Contact			Phone - Contact*					Email - Contact*				
Product-Env-Stewards	Product Envir	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Repres	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date Version Manufacturing St		ng Site	Weight*		UOM	Unit Type			
	CAV25	512HU5E-GT3	512KB SPI SER CMOS EEPROM		M	2023-06-08		-	MY1		11	.98	mg	Each	
Manufacturing Proccess Informa	ation										1			L	
Terminal Plating / Grid Array M	Iaterial [	Ferminal Base A	Alloy J.	J-STD-020 MSL Rating		Peak Process Body Te		Temperatu	erature Max Time at Peak T		Temperature Number of Reflow Cycles		les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1				260		C	<b>30</b> see		second	seconds 3			
Comments															
evel 1 - maximum time at peak temperat	ture during so	Idering is 10-3	0 seconds												
or more information regarding materia	l composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.193	mg	Supplier	Silicon (Si)	7440-21-3		1.193	mg
Die Attach	0.159	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0556	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.1033	mg
Lead Frame	6.696	mg	Supplier	Tin (Sn)	7440-31-5		0.0167	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0147	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0167	mg
			Supplier	Copper (Cu)	7440-50-8		6.6478	mg
Mold Compound-Black	3.813	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.305	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0191	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.0763	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.2982	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1144	mg
Plating	0.075	mg	Supplier	Palladium (Pd)	7440-05-3		0.0057	mg
			В	Nickel (Ni)	7440-02-0		0.0683	mg
			Supplier	Gold (Au)	7440-57-5		0.001	mg
Wire Bond - Au	0.044	mg	Supplier	Gold (Au)	7440-57-5		0.044	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).