

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Keyspan Mini DisplayPort 1.2 to UHD 4K HDMI Active Adapter/Video Converter, Thunderbolt 1 & 2 Compatible, 4K x 2K (3840 x 2160) @ 24/30 Hz (M/F), 6 in.

MODEL NUMBER: P137-06N-HD-UHD





Connect a UHD 4K x 2K HDMI monitor to a Mac or PC with a Mini Displayport output

Description

Tripp Lite's P137-06N-HD-UHD Keyspan Mini DisplayPort 1.2 to UHD 4K HDMI Active Adapter/Video Converter allows you to connect a Mac or PC with a Mini DisplayPort or Thunderbolt[™] output to a UHD 4K HDMI TV.

Ideal for Thunderbolt[™] /Mini DisplayPort equipped laptops, Chromebooks, MacBooks, Ultrabooks and Microsoft Surface. Mac 10.11, Windows 10 Compatible. Compatible with Thunderbolt 1 and 2 ports on Mac computers.

Supports Ultra High Definition (UHD) video resolutions up to 4K x 2K (3840 x 2160) @ 24/30 Hz. Fully molded ends ensure long life enjoyment.

Converts both Single-Mode and Dual-Mode (DP++) Mini DisplayPort output, and is perfect for use with graphics cards, such as AMD Eyefinity, that do not output DP++ signals.

Features

- Connect a UHD HDMI TV to a Mac or PC with a Mini Displayport output
- Active adapter for use with any Mini Displayport (or Thunderbolt 1 & 2) port
- Converts Single-Mode and Dual-Mode (DP++) Mini DisplayPort output
- Perfect for use with graphics cards, such as AMD Eyefinity, that do not output DP++ signals
- Displayport 1.2 and HDMI 1.4 compliant
- Plug-and-play convenience—no drivers or software needed

Highlights

- Connect a UHD HDMI monitor to a Mac or PC with a Mini Displayport output
- Active adapter for use with any Mini Displayport (or Thunderbolt 1 & 2) port
- Plug-and-play convenience—no drivers or software needed
- Supports Ultra High Definition (UHD) video resolutions up to 4Kx2K, 3840 x 2160 (24Hz or 30Hz)
- HDCP compliant

System Requirements

- Computer with a Mini
 Displayport (or Thunderbolt 1 &
 2) port
- Monitor with a HDMI port.
- Both monitor and source must support 4Kx2K (24Hz or 30Hz) in order to display 4Kx2K video resolutions
- 7.1 Audio Surround Sound is supported as long as it is supported by the source. Check your Mini Displayport source documentation for compatibility.
- The P137-06N-HD-UHD is an Active adapter, and requires that the connected computer has a DP++ (Displayport ++) port, which allows HDMI and DVI signals to be passed through; check the documentation for your Mini Displayport source for compatibility.



- Supports Ultra High Definition (UHD) video resolutions up to 4K x 2K (3840 x 2160) @ 24/30 Hz
- HDCP compliant
- The P137-06N-HD-UHD supports transmission of an audio signal as long as it is supported by the Mini Displayport source-check the documentation for your Mini Displayport source for compatibility.

Package Includes

 P137-06N-HD-UHD Keyspan Mini DisplayPort 1.2 to UHD 4K HDMI Active Adapter/Video Converter (M/F), 6 in.

Specifications

OVERVIEW	
UPC Code	037332183910
INPUT	
Cable Length (ft.)	0.5
Cable Length (m)	0.2
Cable Length (in.)	6
Cable Length (cm)	15.24
PHYSICAL	
Color	White
Shipping Dimensions (hwd / cm)	22.86 x 1.27 x 17.78
Shipping Dimensions (hwd / in.)	9.00 x 0.50 x 7.00
Shipping Weight (kg)	0.12
Shipping Weight (lbs.)	0.26
CONNECTIONS	
Side A - Connector 1	MINI DISPLAYPORT (MALE)
Side B - Connector 1	HDMI (FEMALE)
FEATURES & SPECIFICATIONS	
Technology	HDMI; DisplayPort
WARRANTY	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:



Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

https://www.tripplite.com/products/product-certification-agencies